

3		, 50m				8 - 11	
08.10.2022							
I	8 +: 31.75 /	II	8 +: 36.75 /	III	8 +: 40.75 /		
I	8 +: 47.25 /	II	8 +: 57.25 /	III	8 +: 1:07.25		
: FINA 2021							

11

1.	,	11	"	"	35.48	375	II
2.	,	11	"	"	35.80	365	II
3.	,	11	2 .		39.29	276	III
4.	,	11			39.46	273	III
5.	,	11			39.65	269	III
6.	,	11			39.77	266	III
7.	,	11	"	"	40.83	246	1
8.	,	11			41.41	236	1
9.	,	11			41.42	236	1
10.	,	11	3 .		41.58	233	1
11.	,	11			41.61	232	1
12.	,	11	3 .		41.68	231	1
13.	,	11	"	1"	41.79	229	1
14.	,	11			43.22	207	1
15.	,	11	3 .		43.24	207	1
16.	,	11		"	43.25	207	1
17.	,	11		"	43.53	203	1
18.	,	11		"	43.64	201	1
19.	,	11	2 .		44.61	188	1
20.	,	11	"	"	44.77	186	1
21.	,	11			45.37	179	1
22.	,	11			45.43	178	1
23.	,	11			45.58	177	1
24.	,	11	3 .		45.76	175	1
25.	,	11	"	"	46.88	162	1
26.	,	11	"	1"	47.21	159	1
27.	,	11	"	"	49.03	142	2
28.	,	11	"	"	49.80	135	2
29.	,	11	"	"	50.29	131	2
30.	,	11	2 .		50.43	130	2
31.	,	11	"	"	50.90	127	2
32.	,	11	2 .		52.99	112	2

10

1.	,	12	"	"	38.36	297	III
2.	,	12	"	"	38.41	296	III
3.	,	12			38.76	288	III
4.	,	12	"	"	39.34	275	III
5.	,	12			41.35	237	1
6.	,	12	"	"	42.38	220	1
7.	,	12	2 .		42.74	214	1
8.	,	12			44.71	187	1
9.	,	12	"	"	45.47	178	1
10.	,	12	"	"	46.20	170	1
11.	,	12			46.34	168	1
12.	,	12	2 .		46.62	165	1
13.	,	12	3 .		46.70	164	1
14.	,	12	"	1"	47.12	160	1
15.	,	12	3 .		47.19	159	1

3, , 50m , 10

16.	,	12	"	"	47.33	158	2
17.	,	12			47.44	157	2
18.	,	12	3 .		48.60	146	2
19.	,	12	"	"	48.65	145	2
20.	,	12	2 .		48.70	145	2
21.	,	12			49.34	139	2
22.	,	12	"	1"	49.38	139	2
23.	,	12	"	1"	49.54	137	2
24.	,	12			49.73	136	2
25.	,	12	3 .		50.34	131	2
26.	,	12	2 .		50.43	130	2
	,	12	"	1"	50.43	130	2
28.	,	12	"	"	50.99	126	2
29.	,	12	"	"	51.13	125	2
30.	,	12			51.25	124	2
31.	,	12			52.19	118	2
32.	,	12			52.24	117	2
33.	,	12			52.50	115	2
34.	,	12	2 .		53.11	111	2
35.	,	12	3 .		53.45	109	2
36.	,	12		"	54.05	106	2
37.	,	12	"	"	55.05	100	2
38.	,	12	3 .		55.35	98	2
39.	,	12	2 .		57.67	87	3
40.	,	12	2 .		59.37	80	3
41.	,	12	"	"	1:02.02	70	3
42.	,	12			1:09.02	51	

9

1.	,	13	Pro		43.35	205	1
2.	,	13			43.95	197	1
3.	,	13			44.40	191	1
4.	,	13	"	1"	46.86	163	1
5.	,	13	3 .		48.97	142	2
6.	,	13			49.14	141	2
7.	,	13		"	49.21	140	2
8.	,	13	"	"	49.23	140	2
9.	,	13			49.39	139	2
10.	,	13			50.33	131	2
11.	,	13			50.42	130	2
12.	,	13	3 .		50.81	127	2
13.	,	13	2 .		50.84	127	2
14.	,	13			51.23	124	2
15.	,	13			51.95	119	2
16.	,	13			52.10	118	2
17.	,	13			52.62	115	2
18.	,	13	3 .		53.81	107	2
19.	,	13	"	"	53.88	107	2
20.	,	13	2 .		54.29	104	2
21.	,	13	3 .		54.74	102	2
22.	,	13	unattached		54.85	101	2
23.	,	13			55.75	96	2
24.	,	13	3 .		56.88	91	2
25.	,	13			57.24	89	2
26.	,	13			59.15	81	3

, 17.09.2022 - 29.04.2023

3, , 50m , 9

27.	,	13	3 .	59.43	79	3
28.	,	13	" "	1:04.07	63	3
29.	,	13	3 .	1:04.85	61	3
30.	,	13	3 .	1:06.65	56	3
31.	,	13		1:07.78	53	
32.	,	13	3 .	1:08.32	52	
33.	,	13		1:10.97	46	
34.	,	13	3 .	1:22.04	30	

8

1.	,	14		49.68	136	2
2.	,	14		54.27	104	2
3.	,	14	Pro	56.22	94	2
4.	,	14	2 .	56.44	93	2
5.	,	14	2 .	56.84	91	2
6.	,	14	" "	57.65	87	3
7.	,	14		57.73	87	3
8.	,	14		57.75	87	3
9.	,	14	Pro	58.03	85	3
10.	,	14	2 .	1:00.16	77	3
11.	,	14	2 .	1:00.71	74	3
12.	,	14		1:03.44	65	3
13.	,	14	2 .	1:03.56	65	3
14.	,	14	2 .	1:04.74	61	3
15.	,	14	3 .	1:09.42	50	
EXH	,	15	Pro	1:07.49	54	
EXH	,	15		1:08.47	52	
EXH	,	15	" "	1:15.17	39	
EXH	,	15		1:24.28	28	
EXH	,	15	2 .	1:27.90		

4

, 50m

8 - 11

08.10.2022

I	8 +: 29.35 /	II	8 +: 32.25 /	III	8 +: 35.75 /
I .	8 +: 41.75 /	II .	8 +: 51.75 /	III .	8 +: 1:01.75

: FINA 2021

11

1.	,	11		33.88	282	III
2.	,	11		34.46	268	III
3.	,	11	" "	35.88	237	1
4.	,	11	" "	36.03	234	1
5.	,	11	2 .	38.45	192	1
6.	,	11	" "	38.72	188	1
7.	,	11	" "	38.78	188	1
8.	,	11	2 .	38.84	187	1
9.	,	11		39.19	182	1
10.	,	11	" "	39.37	179	1
11.	,	11		39.88	172	1
12.	,	11	" "	40.11	170	1
13.	,	11		40.23	168	1
14.	,	11	" "	40.62	163	1

4, , 50m , 11

15.	,	11	2 .	40.80	161	1
16.	,	11	2 .	40.86	160	1
17.	,	11	" "	40.97	159	1
18.	,	11		41.05	158	1
19.	,	11	3 .	41.29	155	1
20.	,	11		41.44	154	1
21.	,	11	" 1"	41.61	152	1
22.	,	11	3 .	41.65	151	1
23.	,	11	3 .	41.70	151	1
24.	,	11		41.78	150	2
25.	,	11		41.88	149	2
26.	,	11	" "	42.42	143	2
27.	,	11	2 .	42.58	142	2
28.	,	11		42.78	140	2
29.	,	11	2 .	42.94	138	2
30.	,	11	3 .	42.98	138	2
31.	,	11	" "	43.66	131	2
32.	,	11	3 .	44.91	121	2
33.	,	11	2 .	44.95	120	2
34.	,	11	" "	45.17	119	2
35.	,	11	" "	45.28	118	2
36.	,	11		45.66	115	2
37.	,	11		46.13	111	2
38.	,	11	" "	46.60	108	2
39.	,	11		46.91	106	2
41.	,	11		46.91	106	2
43.	,	11	" "	47.12	104	2
44.	,	11	Pro	47.12	104	2
45.	,	11	2 .	47.74	100	2
46.	,	11	2 .	48.41	96	2
47.	,	11	2 .	48.51	96	2
48.	,	11	2 .	48.67	95	2
49.	,	11	2 .	50.53	85	2
50.	,	11	" "	51.15	81	2
51.	,	11		51.65	79	2
52.	,	11	2 .	51.98	78	3
	,	11	2 .	52.48	75	3
	,	11	2 .	53.98	69	3

10

1.	,	12		38.70	189	1
2.	,	12	2 .	40.27	167	1
3.	,	12		40.55	164	1
4.	,	12	" "	40.88	160	1
5.	,	12	" "	41.50	153	1
6.	,	12		41.53	153	1
7.	,	12		41.60	152	1
8.	,	12	Pro	41.69	151	1
9.	,	12	" "	41.75	150	1
10.	,	12	" "	41.93	148	2
11.	,	12	3 .	42.88	139	2
12.	,	12	" "	42.96	138	2
13.	,	12		43.09	137	2
14.	,	12	Pro	43.24	135	2
15.	,	12	" "	43.75	131	2

	4,	, 50m	, 10						
16.		,		12				44.13	127 2
17.		,		12				44.17	127 2
18.		,		12		2 .		44.56	123 2
19.		,		12		"	"	44.71	122 2
20.		,		12		2 .		44.76	122 2
21.		,		12	Pro			44.96	120 2
22.		,		12		2 .		44.98	120 2
23.		,		12		3 .		45.11	119 2
		,		12		3 .		45.11	119 2
25.		,		12		"	"	45.32	117 2
26.		,		12	Pro			45.40	117 2
27.		,		12				45.47	116 2
28.		,		12		3 .		46.13	111 2
29.		,		12	Pro			46.31	110 2
30.		,		12				46.66	107 2
31.		,		12				46.75	107 2
32.		,		12		"	"	47.02	105 2
33.		,		12				47.45	102 2
34.		,		12		2 .		47.79	100 2
35.		,		12				48.59	95 2
36.		,		12	Pro			48.61	95 2
37.		,		12	Pro			48.83	94 2
38.		,		12	Pro			48.90	93 2
39.		,		12		"	"	49.38	91 2
40.		,		12		2 .		49.57	90 2
41.		,		12		"	"	49.76	89 2
42.		,		12				50.63	84 2
43.		,		12		"	"	50.84	83 2
44.		,		12		3 .		50.95	82 2
45.		,		12		"	"	51.13	82 2
46.		,		12				51.53	80 2
47.		,		12		3 .		53.12	73 3
48.		,		12				53.18	72 3
49.		,		12		2 .		53.55	71 3
50.		,		12		"	"	53.71	70 3
51.		,		12		2 .		53.87	70 3
52.		,		12		2 .		55.38	64 3
53.		,		12				55.59	63 3
54.		,		12		2 .		55.68	63 3
55.		,		12		2 .		56.39	61 3
56.		,		12		3 .		58.39	55 3
57.		,		12		2 .		59.11	53 3
58.		,		12				1:00.38	49 3
DSQ		,		12				50.50	2
DSQ		,		12				57.87	3
9									
1.		,		13		3 .		39.80	174 1
2.		,		13				40.13	169 1
3.		,		13				42.46	143 2
4.		,		13	"	1"		43.32	134 2
5.		,		13			"	43.33	134 2
6.		,		13		3 .		43.67	131 2
7.		,		13		3 .		44.24	126 2
8.		,		13				44.76	122 2

4, , 50m , 9

9.	,	13	2 .	47.66	101	2
10.	,	13		47.80	100	2
11.	,	13		48.55	95	2
12.	,	13	3 .	48.65	95	2
13.	,	13		49.05	92	2
14.	,	13	2 .	49.78	88	2
15.	,	13		49.94	88	2
16.	,	13	2 .	50.76	83	2
17.	,	13	3 .	51.20	81	2
18.	,	13		51.23	81	2
19.	,	13		52.18	77	3
20.	,	13	" "	52.26	76	3
21.	,	13	2 .	53.68	70	3
22.	,	13		53.74	70	3
23.	,	13		54.32	68	3
24.	,	13	3 .	56.00	62	3
25.	,	13		56.49	60	3
26.	,	13		56.78	59	3
27.	,	13		56.84	59	3
28.	,	13	3 .	57.02	59	3
29.	,	13	2 .	57.03	59	3
30.	,	13	3 .	57.19	58	3
31.	,	13	2 .	58.29	55	3
32.	,	13	2 .	58.39	55	3
33.	,	13		58.44	54	3
34.	,	13	3 .	58.60	54	3
	,	13	3 .	58.60	54	3
36.	,	13	2 .	58.73	54	3
37.	,	13	3 .	58.81	53	3
38.	,	13	3 .	59.24	52	3
39.	,	13	2 .	59.61	51	3
40.	,	13		1:00.13	50	3
41.	,	13	3 .	1:00.85	48	3
42.	,	13	3 .	1:01.03	48	3
43.	,	13	3 .	1:01.11	48	3
44.	,	13		1:03.75	42	
45.	,	13	3 .	1:09.13	33	
46.	,	13	" "	1:09.66	32	
47.	,	13	3 .	1:22.22	19	
DSQ	,	13		47.05		2
DSQ	,	13	2 .	50.41		2

8

1.	,	14	" "	47.97	99	2
2.	,	14		50.85	83	2
3.	,	14	" 1"	51.26	81	2
4.	,	14		51.78	79	3
5.	,	14	2 .	52.46	75	3
6.	,	14		53.34	72	3
7.	,	14	2 .	53.66	71	3
8.	,	14	2 .	53.72	70	3
9.	,	14	3 .	54.95	66	3
10.	,	14	2 .	55.88	62	3
11.	,	14	" 1"	56.57	60	3
12.	,	14		57.85	56	3

4, , 50m , 8

13.	,	14		59.16	52	3
14.	,	14	3 .	59.96	50	3
15.	,	14	3 .	1:00.61	49	3
16.	,	14	Pro	1:00.85	48	3
17.	,	14	" "	1:02.23	45	
18.	,	14	3 .	1:02.87	44	
19.	,	14	" "	1:02.97	43	
20.	,	14	2 .	1:04.57	40	
21.	,	14	3 .	1:06.80	36	
22.	,	14	2 .	1:07.18	36	
23.	,	14	" "	1:09.24	33	
24.	,	14		1:09.81	32	
25.	,	14	3 .	1:10.73	31	
26.	,	14		1:12.62	28	
DSQ	,	14	2 .	49.26		2
DSQ	,	14	" 1"	55.86		3
DSQ	,	14	Pro	1:00.65		3
EXH	,	15	" "	56.37	61	
EXH	,	15	Pro	58.49	54	
EXH	,	15	Pro	58.84	53	
EXH	,	15	Pro	1:03.21	43	
EXH	,	15	Pro	1:03.98	41	
EXH	,	15	Pro	1:04.10	41	

25

, 8 x 50m

8 - 11

08.10.2022

: FINA 2021

1.	" "	" "	5:07.24	218
	11	36.11	11	39.83
	12	37.87	12	42.06
	12	38.63	11	41.19
	12	37.01	11	34.54
2.			5:23.68	186
	11	45.26	11	38.02
	13	45.20	12	39.56
	11	40.42	11	39.09
	11	39.43	12	36.70
3.	3 .	3 .	5:50.97	146
	11	42.21	12	46.88
	11	43.23	13	44.94
	12	44.95	11	41.49
	12	48.04	11	39.23
4.	2 .	2 .	6:04.16	131
	11	38.61	12	49.64
	12	51.96	11	48.20
	12	44.74	13	48.15
	12	42.05	11	40.81
5.	2		6:39.96	98
	13	52.99	12	50.50
	13	52.25	12	53.16
	13	49.61	12	46.86
	12	50.00	11	44.59

08.10.2022 26 , 8 x 50m 8 - 11
: FINA 2021

1.	"	" 2	"	"	5:22.24	130
,	12	41.18	,	12		39.53
,	11	39.44	,	12		40.38
,	12	40.22	,	12		40.24
,	11	41.16	,	13		40.09
2.	2 .		2 .		5:22.85	130
,	11	40.19	,	11		40.30
,	11	39.64	,	12		42.47
,	12	42.60	,	11		39.35
,	11	41.07	,	11		37.23
3.	3 .		3 .		5:30.78	120
,	13	39.45	,	11		41.27
,	11	43.25	,	11		40.95
,	12	42.42	,	11		40.44
,	13	42.35	,	13		40.65
DSQ					4:57.49	
,	11	39.26	,	11		33.80
,	11	37.85	,	11		40.30
,	11	37.31	,	12		38.34
,	12	37.71	,	11		32.92
DSQ	"	"	"	"	5:02.81	
,	11	39.90	,	11		37.80
,	11	37.87	,	11		37.90
,	12	40.75	,	11		34.71
,	11	39.43	,	11		34.45