

, 9. - 30.9.2022

10.09.2022 17 , 50m 2010 - 2013

	12 +: 27.50 /	10 +: 28.65 /	I	9 +: 31.15 /	II	9 +: 33.75 /
III	9 +: 36.75 /	I .	9 +: 43.75 /	II .	9 +: 53.75 /	
III .	9 +: 1:03.75					

: FINA 2021

2010 - 2011

1.	,	10		"	"	32.94	405	II
2.	,	10	.		"	32.95	405	II
3.	,	10		1 .		33.09	399	II
4.	,	10	.		"	33.31	392	II
5.	,	10		"	"	33.68	379	II
6.	,	10		3 .		33.75	376	II
7.	,	10		1 .		34.54	351	III
8.	,	11		"	"	35.19	332	III
9.	,	11	.		"	36.26	303	III
10.	,	10	.		"	36.42	299	III
11.	,	11		"	"	36.46	298	III
12.	,	11		"	"	36.84	289	1
13.	,	11	.		"	36.86	289	1
14.	,	10	.		"	36.87	289	1
15.	,	10				37.74	269	1
16.	,	10				37.76	269	1
17.	,	11		"	"	38.15	260	1
18.	,	10		"	"	38.54	253	1
19.	,	11	.		"	38.58	252	1
20.	,	11		"	"	38.94	245	1
21.	,	10				39.09	242	1
22.	,	11				39.45	236	1
23.	,	11	.		"	39.62	233	1
24.	,	11	.		"	39.70	231	1
25.	,	10		1 .		39.93	227	1
26.	,	10		3 .		40.29	221	1
27.	,	11		"	"	40.66	215	1
28.	,	10		1 .		41.85	197	1
29.	,	11		"	"	42.43	189	1
30.	,	11		"	"	42.44	189	1
31.	,	10				42.67	186	1
32.	,	10		1 .		43.02	182	1
33.	,	11		"	"	43.21	179	1
34.	,	10				43.38	177	1
35.	,	11	.		"	43.50	176	1
36.	,	11				44.35	166	2
37.	,	11		"	"	44.74	161	2
38.	,	10		1 .		44.84	160	2
39.	,	10				45.44	154	2
40.	,	10		"	"	45.49	153	2
41.	,	11				45.67	152	2
42.	,	11				45.93	149	2
43.	,	11	.		"	48.07	130	2
44.	,	10		"	"	48.67	125	2
45.	,	11		"	"	51.86	103	2
46.	,	11		"	"	51.87	103	2
47.	,	11				58.38	72	3
48.	,	11				1:01.03	63	3
DSQ	,	10				38.73		1

, 9. - 30.9.2022

17, , 50m		2010 - 2011			
DSQ	,	11		48.09	2
DSQ	,	11		58.62	3
2012 - 2013					
1.	,	12	" "	37.81	268 1
2.	,	12	" "	38.05	263 1
3.	,	12	" "	40.76	213 1
4.	,	12	" "	40.77	213 1
5.	,	12		41.73	199 1
6.	,	12	" "	47.03	139 2
7.	,	12	1 .	48.07	130 2
8.	,	12		49.16	121 2
9.	,	12	" "	53.03	97 2
10.	,	13	" "	53.51	94 2
11.	,	13	3 .	56.13	81 3
12.	,	12		56.77	79 3
13.	,	12	" "	58.69	71 3
14.	,	12		58.73	71 3
DSQ	,	12		40.75	1
DSQ	,	12	" "	55.56	3

18 , 50m 2010 - 2013
10.09.2022

12 +: 24.15 /	10 +: 25.15 /	I	9 +: 27.15 /	II	9 +: 30.25 /
III 9 +: 33.25 /	I . 9 +: 38.25 /		II .	9 +: 48.25 /	
III . 9 +: 58.25					

: FINA 2021

2010 - 2011					
1.	,	10	3 .	31.50	329 III
2.	,	10	" "	31.81	319 III
3.	,	11		32.78	292 III
4.	,	10	" "	33.37	276 1
5.	,	10	" "	33.95	262 1
6.	,	10	1 .	34.04	260 1
7.	,	10	3 .	34.06	260 1
8.	,	11	" "	34.12	259 1
9.	,	11	" "	34.47	251 1
10.	,	11	" "	34.66	247 1
11.	,	10		35.29	234 1
12.	,	10		35.36	232 1
13.	,	10	" "	35.37	232 1
14.	,	10	" "	35.38	232 1
15.	,	11	" "	35.45	230 1
16.	,	10	3 .	35.46	230 1
17.	,	10	" "	35.85	223 1
18.	,	10		36.04	219 1
19.	,	10	1 .	36.31	214 1
20.	,	10		36.35	214 1
21.	,	10		36.47	212 1
22.	,	10		36.58	210 1
23.	,	11		36.69	208 1
24.	,	10		36.93	204 1

, 9. - 30.9.2022

18,	, 50m	,	2010 - 2011			
25.	,	10			36.94	204 1
26.	,	11	1 .		37.11	201 1
27.	,	10	"	"	37.41	196 1
28.	,	10			37.42	196 1
29.	,	10	"	"	37.47	195 1
30.	,	10			37.69	192 1
31.	,	10	"	"	37.81	190 1
32.	,	11			37.87	189 1
33.	,	10	"	"	37.96	188 1
34.	,	10	"	"	38.42	181 2
35.	,	10	"	"	38.54	179 2
36.	,	11	"	"	38.66	178 2
37.	,	11			38.90	174 2
38.	,	10	"	"	39.02	173 2
39.	,	10	3 .		39.06	172 2
40.	,	10	3 .		39.12	171 2
41.	,	10			39.23	170 2
42.	,	11			39.28	169 2
	,	10			39.28	169 2
44.	,	10	3 .		39.32	169 2
45.	,	11	"	"	39.44	167 2
46.	,	10			39.61	165 2
47.	,	11	"	"	40.03	160 2
48.	,	10	1 .		40.08	159 2
49.	,	10			40.26	157 2
50.	,	10			40.27	157 2
51.	,	11	"	"	40.46	155 2
52.	,	10		"	40.60	153 2
53.	,	11	"	"	40.95	149 2
54.	,	10			41.25	146 2
55.	,	10	1 .		41.51	143 2
56.	,	11	"	"	41.57	143 2
57.	,	10	"	"	41.59	143 2
58.	,	10			42.13	137 2
59.	,	10	"	"	42.70	132 2
60.	,	10			42.84	130 2
61.	,	11	1 .		42.91	130 2
62.	,	10	3 .		42.97	129 2
63.	,	11		"	43.13	128 2
64.	,	11	"	"	43.20	127 2
65.	,	10			43.28	126 2
66.	,	10		"	43.75	122 2
67.	,	11			44.28	118 2
68.	,	11	"	"	44.36	117 2
69.	,	11	"	"	44.37	117 2
70.	,	10			44.75	114 2
71.	,	10			44.98	113 2
72.	,	10		"	45.43	109 2
73.	,	11	"	"	45.59	108 2
74.	,	10			45.97	105 2
75.	,	11	"	"	46.20	104 2
76.	,	11	"	"	46.79	100 2
77.	,	11			46.95	99 2
78.	,	11	"	"	47.38	96 2
79.	,	10	3 .		50.14	81 3
80.	,	10		"	50.29	80 3

, 9. - 30.9.2022

18, , 50m ,		2010 - 2011			
81.	,	11	.	51.61	74 3
82.	,	10	3 .	52.85	69 3
83.	,	11	.	54.71	62 3
84.	,	10		55.60	59 3
85.	,	11		57.31	54 3
86.	,	10	1 .	1:03.15	40
87.	,	11		1:05.56	36
DSQ	,	11	" "	37.81	1
DSQ	,	10		42.74	2
DSQ	,	10		42.94	2
DSQ	,	10		46.18	2
DSQ	,	11		49.59	3
DSQ	,	10	3 .	49.71	3
DSQ	,	11		57.86	3
DSQ	,	11		1:05.13	
DSQ	,	11		1:09.11	
2012 - 2013					
1.	,	12		39.58	165 2
2.	,	13		40.40	156 2
3.	,	12	" "	41.23	146 2
4.	,	12	" "	41.25	146 2
5.	,	12	" "	42.74	131 2
6.	,	12	" "	43.81	122 2
7.	,	12	" "	43.97	121 2
8.	,	12		46.16	104 2
9.	,	13	" "	46.64	101 2
10.	,	13	" "	47.83	94 2
11.	,	13	3 .	48.56	89 3
12.	,	13	" "	49.04	87 3
13.	,	12	" "	49.39	85 3
14.	,	12	" "	49.90	82 3
15.	,	13	" "	50.50	79 3
16.	,	13	" "	51.35	75 3
17.	,	13		51.36	75 3
18.	,	13	" "	51.41	75 3
19.	,	12		52.34	71 3
20.	,	12		52.66	70 3
21.	,	12	" "	53.26	68 3
22.	,	12	" "	53.38	67 3
23.	,	13		55.63	59 3
24.	,	13		57.31	54 3
25.	,	13	" "	58.14	52 3
26.	,	13	" "	58.33	51
27.	,	12		59.06	49
28.	,	12		1:09.05	31
DSQ	,	13	" "	56.88	3
DSQ	,	12		58.39	
DSQ	,	13		58.40	
DSQ	,	12		59.75	
DSQ	,	13		1:03.12	
DSQ	,	13	" "	1:08.70	
DSQ	,	12		1:09.05	
DSQ	,	13		1:24.32	

, 9. - 30.9.2022

10.09.2022 19 , 50m 2010 - 2013

	12 +: 28.85 /	10 +: 30.05 /	I	9 +: 31.75 /	II	9 +: 36.75 /
III	9 +: 40.75 /	I .	9 +: 47.25 /	II .	9 +: 57.25 /	
III	9 +: 1:07.25					

: FINA 2021

2010 - 2011

1.	,	10	.	"	32.54	486	II
2.	,	10		"	33.33	453	II
3.	,	10	.	"	34.67	402	II
4.	,	10		1 .	34.90	394	II
5.	,	11		"	35.28	382	II
6.	,	10		3 .	35.77	366	II
7.	,	10		1 .	36.08	357	II
8.	,	10	.	"	36.36	349	II
9.	,	10			36.52	344	II
10.	,	10		"	37.35	321	III
11.	,	11	.	"	37.45	319	III
12.	,	11		"	37.52	317	III
13.	,	11	.	"	37.56	316	III
14.	,	11		"	38.02	305	III
15.	,	10		"	38.16	301	III
16.	,	10			38.32	298	III
17.	,	11		"	38.59	291	III
18.	,	11	.	"	38.97	283	III
19.	,	10			39.73	267	III
20.	,	10		1 .	39.94	263	III
21.	,	10	.	"	40.09	260	III
22.	,	11		"	40.30	256	III
23.	,	10			40.55	251	III
24.	,	11	.	"	40.58	251	III
25.	,	11		"	41.11	241	1
26.	,	10			41.70	231	1
27.	,	10		3 .	41.92	227	1
28.	,	11			42.01	226	1
29.	,	10		1 .	42.20	223	1
30.	,	11			42.42	219	1
31.	,	11	.	"	42.67	215	1
32.	,	11		"	42.73	215	1
33.	,	10		"	42.81	213	1
34.	,	11			42.98	211	1
	,	10			42.98	211	1
36.	,	11		"	43.17	208	1
37.	,	10		1 .	43.19	208	1
38.	,	11		"	43.22	207	1
39.	,	11			43.27	207	1
40.	,	11		"	43.50	203	1
41.	,	11	.	"	43.68	201	1
42.	,	10		1 .	44.09	195	1
43.	,	10		"	44.15	194	1
44.	,	11			44.69	187	1
45.	,	11			45.46	178	1
46.	,	11	.	"	45.72	175	1
47.	,	11			46.53	166	1
48.	,	11		"	46.96	162	1
49.	,	11		"	47.12	160	1

, 9. - 30.9.2022

19, , 50m		2010 - 2011			
50.	,	10		47.80	153 2
51.	,	11		49.96	134 2
52.	,	11	.	56.48	93 2
2012 - 2013					
1.	,	12		38.57	292 III
2.	,	12	" "	39.39	274 III
3.	,	12	" "	39.48	272 III
4.	,	12	" "	40.18	258 III
5.	,	12		42.88	212 1
6.	,	12	" "	42.98	211 1
7.	,	12	" "	44.20	194 1
8.	,	12	1 .	45.15	182 1
9.	,	12		45.29	180 1
10.	,	13	" "	47.56	155 2
11.	,	12		47.64	155 2
12.	,	13		47.88	152 2
13.	,	12	" "	48.06	151 2
14.	,	12	" "	48.87	143 2
15.	,	12	" "	49.33	139 2
16.	,	12		50.90	127 2
17.	,	13	3 .	51.01	126 2
18.	,	13	.	1:00.72	74 3
DSQ	,	12		47.48	2

10.09.2022 20 , 50m 2010 - 2013

12 +: 26.00 /	10 +: 27.55 /	I	9 +: 29.35 /	II	9 +: 32.25 /
III 9 +: 35.75 /	I . 9 +: 41.75 /		II .	9 +: 51.75 /	
III . 9 +: 1:01.75					

: FINA 2021

2010 - 2011

1.	,	10		33.50	291 III
2.	,	10	3 .	33.95	280 III
	,	10	" "	33.95	280 III
4.	,	10	1 .	34.97	256 III
5.	,	11		34.98	256 III
6.	,	10	" "	35.06	254 III
7.	,	10	1 .	35.30	249 III
8.	,	10		35.44	246 III
9.	,	11	" "	35.60	243 III
	,	10		35.60	243 III
11.	,	10	" "	35.86	237 1
12.	,	10		35.88	237 1
13.	,	10	3 .	36.18	231 1
14.	,	11	" "	36.21	231 1
15.	,	10		36.26	230 1
16.	,	10	" "	36.37	228 1
17.	,	10	" "	36.49	225 1
18.	,	10		36.50	225 1
19.	,	10	.	36.93	217 1
20.	,	11	.	37.04	215 1

, 9. - 30.9.2022

20, , 50m ,		2010 - 2011				
21.	,	10	3 .		37.07	215 1
22.	,	10		"	37.32	211 1
23.	,	10			37.55	207 1
24.	,	10	"	"	37.62	206 1
25.	,	10	3 .		37.89	201 1
26.	,	10	"	"	38.03	199 1
27.	,	11			38.27	195 1
28.	,	11	"	"	38.28	195 1
29.	,	10	3 .		38.43	193 1
30.	,	10			38.45	192 1
31.	,	10	1 .		38.48	192 1
32.	,	11	1 .		38.61	190 1
33.	,	10	"	"	39.06	184 1
34.	,	10			39.15	182 1
35.	,	11	"	"	39.20	182 1
36.	,	10	"	"	39.28	181 1
37.	,	10	"	"	39.31	180 1
38.	,	11	"	"	39.42	179 1
39.	,	10	"	"	39.44	178 1
40.	,	10			39.47	178 1
41.	,	11	1 .		39.52	177 1
42.	,	10			39.60	176 1
43.	,	10			39.62	176 1
44.	,	10			39.69	175 1
45.	,	11	"	"	39.82	173 1
46.	,	10			39.85	173 1
47.	,	11			39.90	172 1
48.	,	11	"	"	40.23	168 1
49.	,	11			40.24	168 1
50.	,	10		"	40.37	166 1
51.	,	11	"	"	40.61	163 1
52.	,	10		"	40.82	161 1
53.	,	11	"	"	40.94	159 1
54.	,	11	"	"	40.98	159 1
55.	,	10			41.16	157 1
56.	,	11	"	"	41.27	156 1
57.	,	10			41.43	154 1
58.	,	10			41.50	153 1
59.	,	10			41.54	153 1
60.	,	10		"	41.76	150 2
61.	,	10	3 .		41.91	149 2
62.	,	10	3 .		41.92	148 2
63.	,	10	"	"	42.05	147 2
64.	,	10			42.09	147 2
65.	,	10	"	"	42.26	145 2
66.	,	11	"	"	42.31	144 2
67.	,	11	"	"	42.34	144 2
68.	,	10			42.54	142 2
69.	,	10	1 .		42.64	141 2
70.	,	10			43.12	136 2
71.	,	11			43.13	136 2
72.	,	10	"	"	43.16	136 2
73.	,	10		"	43.57	132 2
74.	,	10	"	"	43.59	132 2
75.	,	11	"	"	43.82	130 2
76.	,	11	"	"	44.23	126 2

, 9. - 30.9.2022

20,	, 50m	,	2010 - 2011			
77.	,	11	" "	44.31	126	2
78.	,	11	" "	44.69	122	2
79.	,	11		44.70	122	2
80.	,	11	"	45.04	120	2
81.	,	10		46.64	108	2
82.	,	10	1 .	46.87	106	2
83.	,	11		46.88	106	2
84.	,	11		47.29	103	2
85.	,	11		47.38	103	2
86.	,	11	" "	47.40	103	2
87.	,	11		47.81	100	2
88.	,	10		48.13	98	2
89.	,	11		48.15	98	2
90.	,	11		48.59	95	2
91.	,	11		49.54	90	2
92.	,	10	3 .	49.71	89	2
93.	,	11		50.76	83	2
94.	,	11		52.57	75	3
95.	,	11	" "	54.56	67	3
DSQ	,	11		41.38		1
DSQ	,	10		46.07		2
DSQ	,	10	3 .	48.86		2
DSQ	,	10	3 .	52.71		3
DSQ	,	11		53.78		3

2012 - 2013

1.	,	12		39.38	179	1
2.	,	13		39.43	178	1
3.	,	12	" "	40.49	165	1
4.	,	13		41.61	152	1
5.	,	12		41.90	149	2
6.	,	12	" "	42.26	145	2
7.	,	12	" "	42.36	144	2
8.	,	12		42.65	141	2
9.	,	13	" "	42.91	138	2
10.	,	12	" "	43.38	134	2
	,	13		43.38	134	2
12.	,	12	" "	43.49	133	2
13.	,	13		43.65	131	2
14.	,	12	" "	44.00	128	2
15.	,	12	" "	44.63	123	2
16.	,	12		45.16	119	2
17.	,	13	3 .	45.20	118	2
18.	,	12	" "	45.96	113	2
19.	,	13		46.14	111	2
20.	,	12	" "	46.29	110	2
21.	,	13		47.09	105	2
	,	12		47.09	105	2
23.	,	13	" "	47.11	104	2
24.	,	13	" "	47.20	104	2
25.	,	12		47.24	104	2
26.	,	12		47.82	100	2
27.	,	13	" "	47.85	100	2
28.	,	13	" "	48.70	94	2
29.	,	12		48.79	94	2

, 9. - 30.9.2022

20,	, 50m	,	2012 - 2013		
30.	,	12		49.51	90 2
31.	,	13	" "	49.61	89 2
32.	,	13		50.18	86 2
33.	,	13		50.26	86 2
34.	,	13		50.74	83 2
35.	,	12		51.06	82 2
36.	,	13		51.45	80 2
37.	,	13	" "	51.60	79 2
38.	,	12		51.75	79 2
39.	,	13	" "	51.81	78 3
40.	,	13	" "	51.87	78 3
41.	,	13		52.31	76 3
42.	,	13		53.38	72 3
43.	,	12		53.66	71 3
44.	,	12		53.68	70 3
45.	,	13		53.73	70 3
46.	,	13		54.31	68 3
47.	,	12		54.45	67 3
48.	,	13		55.07	65 3
49.	,	13		55.56	63 3
50.	,	12		56.88	59 3
51.	,	13		57.21	58 3
52.	,	12		57.69	57 3
53.	,	12		57.85	56 3
54.	,	12		58.81	53 3
55.	,	13		1:01.50	47 3
56.	,	12		1:01.91	46
57.	,	13		1:02.75	44
58.	,	13		1:10.19	31
DSQ	,	13	" "	47.42	2
DSQ	,	13		50.07	2
DSQ	,	12		1:00.05	3

89

, 8 x 50m

2010 - 2013

10.09.2022

: FINA 2021

1.	.	"	.	"	4:14.52	384
	,	11	31.18	,	10	31.48
	,	11	32.86	,	10	31.45
	,	11	33.38	,	10	30.49
	,	11	34.59	,	10	29.09
2.	"	"	"	"	4:32.64	312
	,	11	30.80	,	11	35.56
	,	12	32.53	,	12	36.15
	,	12	33.83	,	11	37.68
	,	12	34.45	,	11	31.64
3.					4:45.92	270
	,	10	32.92	,	11	42.00
	,	11	37.93	,	11	35.03
	,	10	34.57	,	10	36.25
	,	10	33.68	,	10	33.54

10.09.2022 90 , 8 x 50m 2010 - 2013

: FINA 2021

1.							4:12.56	271
	,	10	32.35	,	10			29.58
	,	10	30.71	,	10			31.78
	,	10	31.86	,	11			31.49
	,	10	31.75	,	10			33.04
2.		"		"	"		4:16.08	260
	,	11	31.51	,	11			32.21
	,	10	31.49	,	12			32.80
	,	11	30.04	,	11			33.66
	,	11	31.00	,	11			33.37
3.		3 .		3 .			4:16.31	260
	,	10	31.71	,	10			30.42
	,	10	27.77	,	10			31.90
	,	10	32.85	,	13			34.94
	,	10	33.72	,	10			33.00
4.		"		"	"		4:39.41	200
	,	10	34.76	,	11			37.37
	,	10	32.29	,	10			33.62
	,	10	38.39	,	10			30.62
	,	10	39.78	,	11			32.58