

19.03.2021	1	, 50m	2005
	12 +: 28.85 / III 9 +: 40.75 / III 9 +: 1:07.25	10 +: 30.05 / I 9 +: 47.25 /	I 9 +: 31.75 / II 9 +: 57.25 / II 9 +: 36.75 /

: FINA 2020

2005 - 2006

1.	,	05	.	"	"	30.63	588	I
2.	,	05	.	"	"	31.85	523	II
3.	,	05	.	3	.	31.87	522	II
4.	,	05	.	3	.	32.94	473	II
5.	,	06	2			33.48	450	II
6.	,	06	"	"		33.65	443	II
7.	,	05	.	"	"	33.82	437	II
8.	,	05	.	3	.	33.89	434	II
9.	,	06	"	"		34.68	405	II
10.	,	06				34.82	400	II
11.	,	06	2			35.59	375	II
12.	,	06				35.80	368	II
13.	,	06	2			36.47	348	II
14.	,	05	.	3	.	36.52	347	II
15.	,	05	.	3	.	36.67	343	II
16.	,	05	.			37.12	330	III
17.	,	06				37.39	323	III
18.	,	05	.	3	.	37.75	314	III
19.	,	05	.	"	"	38.19	303	III
20.	,	06	.	"	"	38.23	302	III
21.	,	05	2			38.72	291	III
22.	,	06	.	3	.	39.16	281	III
23.	,	06	2			41.07	244	1

2007 - 2008

1.	,	07	"	"		29.06	689	KMC
2.	,	07	"	"		33.37	455	II
3.	,	07	"	"		34.12	425	II
4.	,	07	"	"		34.23	421	II
5.	,	07	"	"		34.26	420	II
6.	,	07	.	3	.	34.51	411	II
7.	,	07	.	3	.	34.75	403	II
8.	,	07	2			35.01	394	II
9.	,	07	.	"	"	35.51	377	II
10.	,	08	.	3	.	35.78	369	II
11.	,	08	.			36.01	362	II
12.	,	07	.	3	.	36.16	357	II
13.	,	08	.	3	.	36.36	351	II
14.	,	08	.	"	"	36.38	351	II
15.	,	08	.	"	"	36.40	350	II
17.	,	07	.			36.40	350	II
18.	,	08	.	"	"	36.45	349	II
19.	,	08	.	"	"	36.63	344	II
21.	,	08	.	3	.	36.99	334	III
22.	,	07	.	"	"	36.99	334	III
23.	,	07	.	"	"	37.09	331	III
24.	,	08	.	"	"	37.26	327	III
	,	07	.	"	"	37.42	322	III
	,	08	.	"	"	38.03	307	III

, 19.3. - 28.5.2021

1, , 50m ,		2007 - 2008				
25.	,	07	.	"	"	38.08 306 III
26.	,	08	2			38.15 304 III
27.	,	08		3	.	38.16 304 III
28.	,	08	.	"	"	38.21 303 III
29.	,	08				38.25 302 III
30.	,	08		3	.	38.42 298 III
31.	,	08	2			38.43 298 III
32.	,	08		3	.	38.72 291 III
33.	,	08				39.03 284 III
34.	,	07	2			40.35 257 III
35.	,	08	2			40.90 247 1
36.	,	07		3	.	42.17 225 1
37.	,	08				48.20 151 2
DSQ	,	07	.	"	"	39.05 III
2009 - 2010						
1.	,	09	.	"	"	35.98 363 II
2.	,	10	.	"	"	36.21 356 II
3.	,	09	.	"	"	36.85 338 III
4.	,	09		3	.	37.69 315 III
5.	,	10	.	"	"	37.96 309 III
6.	,	09				39.15 281 III
7.	,	10				39.49 274 III
8.	,	09	.	"	"	39.58 272 III
9.	,	10				39.77 268 III
10.	,	09	.	"	"	40.10 262 III
11.	,	09				40.47 255 III
12.	,	09		3	.	41.45 237 1
13.	,	10	.	"	"	42.31 223 1
14.	,	10				42.44 221 1
15.	,	09		3	.	42.50 220 1
16.	,	09		3	.	43.28 208 1
17.	,	09	.	"	"	43.37 207 1
18.	,	09				43.75 201 1
19.	,	10		3	.	43.89 200 1
20.	,	09		"	"	44.57 191 1
21.	,	10	.	"	"	44.64 190 1
22.	,	10				45.10 184 1
23.	,	10				45.17 183 1
24.	,	10		3	.	45.29 182 1
25.	,	10				45.35 181 1
26.	,	10				46.35 169 1
	,	10				46.35 169 1
28.	,	10		3	.	46.60 167 1
29.	,	09				46.84 164 1
30.	,	09		"	"	48.40 149 2
31.	,	10	2			51.90 120 2
32.	,	10				52.27 118 2
33.	,	10				53.93 107 2
34.	,	09				54.02 107 2
35.	,	10				54.30 105 2
36.	,	09				54.90 102 2

, 19.3. - 28.5.2021

1, , 50m

2011

1.		11	.	"	"		39.69	270	III
2.	,	11		"	"		40.67	251	III
3.	,	11		"	"		40.73	250	III
4.	,	12		"	"		41.95	229	1
5.	,	11		"	"		42.78	216	1
6.	,	11		2			43.47	205	1
7.	,	11		"	"		44.35	193	1
8.	,	11	.	"	"		44.83	187	1
9.	,	11	.	"	"		45.00	185	1
10.	,	11					45.61	178	1
11.	,	11		"	"		46.46	168	1
12.	,	11					46.79	165	1
13.	,	11	.	"	"		46.87	164	1
14.	,	11		"	"		47.86	154	2
15.	,	11					47.87	154	2
16.	,	12		"	"		48.47	148	2
17.	,	11		"	"		48.95	144	2
18.	,	11	.	"	"		49.05	143	2
19.	,	11	.	"	"		49.77	137	2
20.	,	11		2			51.28	125	2
21.	,	11					51.52	123	2
22.	,	11					52.57	116	2
23.	,	11					53.68	109	2
24.	,	11					55.93	96	2
25.	,	11					59.19	81	3
26.	,	11					1:05.39	60	3

2

, 50m

2005

19.03.2021

12 +: 26.00 /	10 +: 27.55 /	I	9 +: 29.35 /	II	9 +: 32.25 /
III 9 +: 35.75 /	I . 9 +: 41.75 /		II .	9 +: 51.75 /	
III . 9 +: 1:01.75					

: FINA 2020

2005 - 2006

1.	,	05			27.44	530	KMC
2.	,	06	"	"	27.91	504	I
3.	,	05	"	"	28.07	496	I
4.	,	06		3 .	28.98	450	I
5.	,	05		3 .	29.26	437	I
6.	,	05			29.29	436	I
7.	,	06	"	"	29.37	433	II
8.	,	06			29.91	409	II
9.	,	05			30.16	399	II
10.	,	05	.	"	30.19	398	II
11.	,	06	"	"	30.28	395	II
12.	,	05	.	"	30.70	379	II
13.	,	06		3 .	30.73	378	II
14.	,	05			30.76	376	II
15.	,	05		3 .	30.96	369	II
16.	,	05			31.02	367	II
17.	,	06	.	"	31.26	359	II
18.	,	06	"	"	31.56	348	II
19.	,	06			31.59	348	II

, 19.3. - 28.5.2021

2,	, 50m		2005 - 2006			
20.	,	06	" "	31.62	347	II
21.	,	06		31.65	346	II
22.	,	06	3 .	31.66	345	II
23.	,	05	2	31.74	343	II
24.	,	06		31.77	342	II
25.	,	05	3 .	31.80	341	II
26.	,	05	3 .	31.85	339	II
27.	,	06	2	32.19	328	II
28.	,	06	2	32.32	324	III
29.	,	05	3 .	32.33	324	III
30.	,	06	2	32.43	321	III
31.	,	06	" "	32.66	314	III
32.	,	06	" "	32.74	312	III
33.	,	05	3 .	32.77	311	III
34.	,	05		32.84	309	III
35.	,	06	3 .	32.88	308	III
36.	,	06	3 .	32.94	306	III
37.	,	06		33.04	304	III
38.	,	06	3 .	33.08	303	III
39.	,	06	. " "	33.09	302	III
40.	,	06	. " "	33.90	281	III
41.	,	06	3 .	34.14	275	III
42.	,	06		35.23	250	III
43.	,	06	. " "	35.32	248	III
44.	,	06		35.39	247	III
45.	,	06	2	35.67	241	III
46.	,	06	. " "	35.74	240	III
47.	,	06	. " "	35.75	240	III
48.	,	06	2	36.37	228	1
49.	,	06	3 .	36.74	221	1
50.	,	05		36.85	219	1
51.	,	06		37.13	214	1
52.	,	06	2	37.20	213	1
53.	,	06	" "	37.90	201	1
54.	,	06	2	39.71	175	1
55.	,	05	" "	42.17	146	2
DSQ	,	06	. " "	36.15		1

2007 - 2008

1.	,	07	. " "	29.99	406	II
2.	,	07	" "	30.16	399	II
3.	,	07		30.41	390	II
4.	,	08	3 .	31.11	364	II
5.	,	07	" "	31.18	361	II
6.	,	07	. " "	31.96	336	II
7.	,	07	3 .	32.09	331	II
8.	,	07	3 .	32.77	311	III
9.	,	07	3 .	33.36	295	III
10.	,	07		33.47	292	III
11.	,	08	3 .	33.52	291	III
12.	,	07	3 .	33.54	290	III
13.	,	07	3 .	33.56	290	III
14.	,	07	3 .	33.64	288	III
15.	,	08	3 .	33.78	284	III
16.	,	07	" "	34.26	272	III

, 19.3. - 28.5.2021

2, , 50m , 2007 - 2008

17.	,	07	3 .	34.35	270	III
18.	,	07	3 .	34.67	263	III
19.	,	07	" "	35.36	248	III
20.	,	07		35.59	243	III
21.	,	07	2	35.81	238	1
22.	,	07	2	35.84	238	1
23.	,	07	" "	35.86	237	1
24.	,	07	3 .	35.90	237	1
25.	,	08	" "	35.93	236	1
26.	,	08	" "	35.95	236	1
27.	,	07		36.01	234	1
28.	,	07		36.22	230	1
	,	07	" "	36.22	230	1
30.	,	08		36.39	227	1
31.	,	07		36.47	226	1
32.	,	07	3 .	36.48	225	1
33.	,	07	2/	36.52	225	1
34.	,	08	2	36.65	222	1
35.	,	08		36.77	220	1
36.	,	08	2	36.87	218	1
37.	,	07	3 .	36.88	218	1
38.	,	08	2	36.97	217	1
39.	,	08		37.27	211	1
40.	,	08	3 .	37.40	209	1
41.	,	08	2	37.53	207	1
42.	,	07	3 .	37.57	206	1
	,	08		37.57	206	1
44.	,	08		37.62	206	1
45.	,	08	3 .	37.69	204	1
46.	,	08		37.73	204	1
47.	,	08		37.93	201	1
48.	,	08	3 .	38.12	198	1
49.	,	08		38.33	194	1
	,	08		38.33	194	1
51.	,	07	3 .	38.42	193	1
52.	,	07	2	38.49	192	1
53.	,	07		38.61	190	1
54.	,	07	3 .	38.74	188	1
	,	07		38.74	188	1
56.	,	07		38.76	188	1
57.	,	08		38.91	186	1
58.	,	07	2	39.07	183	1
59.	,	08	2/	39.11	183	1
60.	,	08		39.14	182	1
61.	,	08	" "	39.65	175	1
62.	,	07	2	39.68	175	1
	,	08	2/	39.68	175	1
	,	08	" "	39.68	175	1
65.	,	07	2	39.82	173	1
66.	,	08	2/	39.84	173	1
67.	,	08	" "	39.98	171	1
68.	,	08	2	40.24	168	1
69.	,	08	" "	40.39	166	1
70.	,	08	" "	40.57	164	1
71.	,	08	3 .	40.80	161	1
72.	,	08	2	40.83	161	1

, 19.3. - 28.5.2021

2,	, 50m		2007 - 2008		
73.	,	08		41.01	159 1
74.	,	08		41.49	153 1
	,	08		41.49	153 1
76.	,	08		41.52	153 1
77.	,	08		41.57	152 1
78.	,	08		41.68	151 1
79.	,	08	2	42.86	139 2
80.	,	08		43.73	131 2
81.	,	08	.	44.87	121 2
82.	,	08		45.37	117 2
83.	,	08		45.42	117 2
84.	,	07		46.10	111 2
85.	,	08		46.46	109 2
DSQ	,	07	.	30.52	II
DSQ	,	07		37.24	1

2009 - 2010

1.	,	09	"	"	34.87	258 III
2.	,	10			35.49	245 III
3.	,	09			35.50	245 III
4.	,	09			35.63	242 III
5.	,	09	2/		35.72	240 III
6.	,	10	3 .		35.96	235 1
7.	,	09	2/		36.61	223 1
8.	,	09			37.41	209 1
9.	,	09	.	"	38.45	192 1
10.	,	10	"	"	38.63	190 1
11.	,	09			38.69	189 1
12.	,	09	2/		39.27	181 1
13.	,	09	.	"	39.52	177 1
14.	,	09			39.56	177 1
15.	,	09			39.64	176 1
16.	,	10			39.85	173 1
17.	,	09	3 .		40.41	166 1
18.	,	09			40.45	165 1
19.	,	10	3 .		40.48	165 1
20.	,	09	.	"	40.62	163 1
21.	,	10	.	"	40.87	160 1
22.	,	10			40.98	159 1
23.	,	09			41.00	159 1
24.	,	10			41.09	158 1
25.	,	10			41.14	157 1
26.	,	09			41.33	155 1
27.	,	10			41.34	155 1
28.	,	09			41.75	150 1
29.	,	10			41.76	150 2
30.	,	09	3 .		41.98	148 2
31.	,	10			42.01	147 2
32.	,	09			42.18	146 2
33.	,	09	.	"	42.29	145 2
	,	09	3 .		42.29	145 2
35.	,	10			42.37	144 2
36.	,	10			42.72	140 2
37.	,	09	3 .		42.90	138 2
38.	,	09	.	"	43.18	136 2

, 19.3. - 28.5.2021

2, , 50m ,		2009 - 2010			
39.	,	10	.	" "	43.57 132 2
40.	,	10		3 .	43.66 131 2
41.	,	09	2/		43.73 131 2
42.	,	09			43.81 130 2
43.	,	09			43.87 129 2
44.	,	10		3 .	43.93 129 2
45.	,	10	.	" "	44.07 128 2
46.	,	10			44.08 128 2
47.	,	10			44.15 127 2
48.	,	10		3 .	44.34 125 2
49.	,	10	.	" "	44.35 125 2
50.	,	10			44.60 123 2
51.	,	09	.	" "	44.70 122 2
52.	,	09		3 .	44.94 120 2
53.	,	10			45.01 120 2
54.	,	09		3 .	45.02 120 2
55.	,	09	.	" "	45.07 119 2
56.	,	09		3 .	45.18 118 2
57.	,	09		3 .	45.26 118 2
58.	,	10			45.54 116 2
59.	,	10		" "	45.92 113 2
60.	,	10			45.98 112 2
61.	,	10			46.14 111 2
62.	,	09			46.16 111 2
63.	,	10			46.26 110 2
64.	,	09	.	" "	46.64 108 2
65.	,	09	.	" "	46.70 107 2
66.	,	09		3 .	47.01 105 2
67.	,	10			47.15 104 2
68.	,	09		3 .	47.16 104 2
69.	,	10		3 .	47.68 101 2
70.	,	09	2		47.69 101 2
71.	,	10			48.10 98 2
72.	,	10			48.35 97 2
73.	,	10		" "	48.63 95 2
74.	,	09			48.72 94 2
75.	,	09			50.34 85 2
76.	,	10		3 .	50.37 85 2
77.	,	09		3 .	50.86 83 2
78.	,	10			50.90 83 2
79.	,	10	2		51.59 79 2
80.	,	10	.	" "	52.17 77 3
81.	,	10			52.95 73 3
	,	10			52.95 73 3
83.	,	10			52.99 73 3
84.	,	09			53.08 73 3
85.	,	10			54.58 67 3
86.	,	10	.	" "	56.20 61 3
87.	,	10			56.52 60 3
88.	,	10			58.59 54 3
89.	,	10			59.36 52 3
90.	,	10			1:00.37 49 3
DSQ	,	10	.	" "	47.00 2

2, , 50m

2011

1.	,	11	"	"	40.25	168	1
2.	,	11			41.09	158	1
3.	,	11	"	"	41.72	151	1
4.	,	11	.	"	41.79	150	2
5.	,	11	"	"	42.25	145	2
6.	,	11			42.26	145	2
7.	,	11	"	"	42.86	139	2
8.	,	11	2		43.01	137	2
9.	,	11	"	"	43.26	135	2
10.	,	11	2		43.40	134	2
11.	,	11	"	"	43.81	130	2
12.	,	12	"	"	44.22	126	2
13.	,	11			44.51	124	2
14.	,	11	"	"	44.59	123	2
15.	,	11	"	"	44.76	122	2
16.	,	11	.	"	45.21	118	2
17.	,	12			45.72	114	2
18.	,	11	2		45.82	114	2
19.	,	11			45.83	113	2
20.	,	11	"	"	45.87	113	2
21.	,	11	2		46.15	111	2
22.	,	11	2		46.21	111	2
23.	,	12	2		46.48	109	2
24.	,	11			47.09	105	2
25.	,	12			47.10	104	2
26.	,	11			47.18	104	2
27.	,	11			47.55	102	2
28.	,	11			48.00	99	2
29.	,	11			48.09	98	2
30.	,	11			48.31	97	2
31.	,	12			48.42	96	2
32.	,	13			49.59	89	
33.	,	11			49.77	88	2
34.	,	12			50.13	87	2
35.	,	11			50.56	84	2
36.	,	11			50.62	84	2
37.	,	11	2		50.82	83	2
38.	,	11			50.91	83	2
39.	,	12			51.08	82	2
40.	,	11			52.59	75	3
41.	,	13			52.66	75	
42.	,	12			52.88	74	3
43.	,	11			53.00	73	3
44.	,	11			53.78	70	3
45.	,	11			55.52	64	3
46.	,	11			56.14	62	3
47.	,	12			57.09	58	3
48.	,	12			1:01.42	47	3
49.	,	11			1:10.89	30	

, 19.3. - 28.5.2021

19.03.2021 3 , 50m 2005

	12 +: 27.50 /	10 +: 28.65 /	I	9 +: 31.15 /	II	9 +: 33.75 /
III	9 +: 36.75 /	I .	9 +: 43.75 /	II .	9 +: 53.75 /	
III	9 +: 1:03.75					

: FINA 2020

2005 - 2006

1.	,	05	3 .	29.16	584	I
2.	,	05	" "	30.81	495	I
3.	,	05	3 .	30.84	494	I
4.	,	06	" "	31.23	475	II
5.	,	05	" "	31.49	464	II
6.	,	05	" "	31.55	461	II
7.	,	05	" "	31.68	455	II
8.	,	06	2	33.37	389	II
9.	,	06	2	33.82	374	III
10.	,	06	2	34.22	361	III
11.	,	06	" "	34.26	360	III
	,	06	" "	34.26	360	III
13.	,	05	3 .	34.58	350	III
14.	,	05		35.07	335	III
15.	,	06	" "	35.30	329	III
16.	,	05	3 .	35.32	328	III
17.	,	06	3 .	36.20	305	III
18.	,	05	2	36.78	291	1
19.	,	05	3 .	36.83	290	1
20.	,	06		37.46	275	1
21.	,	05	3 .	37.60	272	1
22.	,	06		39.52	234	1
23.	,	06	2	40.12	224	1

2007 - 2008

1.	,	07	" "	28.77	608	I
2.	,	07	" "	30.98	487	I
3.	,	07	" "	31.38	468	II
4.	,	07	2	32.03	440	II
5.	,	07		32.18	434	II
6.	,	07	" "	33.66	379	II
7.	,	08		33.83	374	III
8.	,	08	" "	34.10	365	III
9.	,	07	" "	34.45	354	III
10.	,	08	" "	34.47	353	III
11.	,	07	" "	34.61	349	III
12.	,	08	" "	34.69	347	III
13.	,	07	" "	35.11	334	III
14.	,	08	" "	35.17	333	III
	,	08	" "	35.17	333	III
16.	,	08	3 .	35.29	329	III
17.	,	08	3 .	35.33	328	III
18.	,	07	3 .	35.52	323	III
19.	,	08		35.63	320	III
20.	,	08	3 .	35.78	316	III
21.	,	07	3 .	36.08	308	III
22.	,	07	3 .	36.29	303	III
23.	,	07	3 .	36.43	299	III
24.	,	07	" "	36.72	292	III

, 19.3. - 28.5.2021

3, , 50m		2007 - 2008				
25.	,	08	3 .	37.78	268	1
26.	,	07	" "	37.89	266	1
27.	,	08		37.97	264	1
28.	,	08	" "	38.36	256	1
29.	,	08		39.09	242	1
30.	,	08	2	39.61	233	1
31.	,	07		40.82	213	1
32.	,	08	3 .	40.95	211	1
33.	,	08	2	40.98	210	1
34.	,	08	2	43.61	174	1
35.	,	07	2	44.23	167	2
36.	,	08		45.76	151	2
2009 - 2010						
1.	,	09	" "	33.93	370	III
2.	,	10	" "	35.29	329	III
3.	,	09	" "	35.75	317	III
4.	,	09	" "	38.75	249	1
5.	,	10	" "	39.36	237	1
6.	,	10	" "	40.09	224	1
7.	,	09		40.42	219	1
8.	,	10		41.57	201	1
9.	,	10	" "	41.68	200	1
10.	,	10		41.76	198	1
11.	,	10		41.79	198	1
12.	,	09	" "	43.19	179	1
13.	,	09		43.34	178	1
14.	,	09	" "	43.84	171	2
15.	,	09	" "	44.20	167	2
16.	,	10		44.31	166	2
17.	,	09	3 .	44.69	162	2
18.	,	09	3 .	45.65	152	2
19.	,	10	3 .	46.63	142	2
20.	,	09	3 .	46.72	142	2
21.	,	09		47.26	137	2
22.	,	09	3 .	48.41	127	2
23.	,	09		49.43	119	2
24.	,	10		49.60	118	2
25.	,	10	3 .	49.89	116	2
26.	,	10		52.82	98	2
27.	,	10	3 .	54.84	87	3
28.	,	10		56.61	79	3
29.	,	10		56.74	79	3
30.	,	10		1:00.09	66	3
31.	,	09		1:02.94	58	3
32.	,	10		1:03.84	55	
DSQ	,	09	" "	36.50		III
2011						
1.	,	11	" "	38.70	250	1
2.	,	11	" "	40.33	220	1
3.	,	11	" "	43.04	181	1
4.	,	12	" "	44.44	165	2
5.	,	11	" "	46.67	142	2
6.	,	11	" "	48.39	127	2

, 19.3. - 28.5.2021

3, , 50m , 2011					
7.	,	11	" "	48.92	123 2
8.	,	11	" "	49.94	116 2
9.	,	11	" "	50.10	115 2
10.	,	11	2	50.61	111 2
11.	,	11	" "	50.62	111 2
12.	,	11	" "	50.69	111 2
13.	,	12	" "	51.95	103 2
14.	,	11	" "	52.36	100 2
15.	,	11	" "	52.88	98 2
16.	,	11		57.21	77 3
17.	,	11		1:03.12	57 3
DSQ	,	11	" "	48.96	2
DSQ	,	11		1:10.21	

4 , 50m 2005
19.03.2021

12 +: 24.15 /	10 +: 25.15 /	I	9 +: 27.15 /	II	9 +: 30.25 /
III 9 +: 33.25 /	I . 9 +: 38.25 /		II .	9 +: 48.25 /	
III . 9 +: 58.25					

: FINA 2020

2005 - 2006

1.	,	05	" "	26.25	568 I
2.	,	05	" "	26.28	566 I
3.	,	05		26.81	533 I
4.	,	05	3 .	26.97	524 I
5.	,	06	3 .	27.03	521 I
6.	,	05		27.43	498 II
7.	,	06	" "	27.53	493 II
8.	,	06	" "	28.29	454 II
9.	,	06	3 .	28.49	444 II
	,	06	" "	28.49	444 II
11.	,	05		28.51	444 II
12.	,	05	" "	28.54	442 II
13.	,	05	3 .	28.60	439 II
14.	,	05		28.75	432 II
15.	,	06		28.76	432 II
16.	,	05	3 .	28.81	430 II
17.	,	06	" "	28.86	428 II
18.	,	05		28.87	427 II
19.	,	06	" "	29.01	421 II
20.	,	06	" "	29.41	404 II
21.	,	06	" "	30.03	379 II
22.	,	05	3 .	30.09	377 II
23.	,	05	3 .	30.11	376 II
24.	,	05	2	30.28	370 III
25.	,	06	3 .	30.50	362 III
26.	,	06	" "	30.57	360 III
27.	,	06	3 .	30.62	358 III
28.	,	05	3 .	30.67	356 III
29.	,	06	2	30.83	351 III
30.	,	06	2	30.95	347 III
31.	,	06	2	30.96	346 III
32.	,	06		31.21	338 III

, 19.3. - 28.5.2021

4,	, 50m	,	2005 - 2006			
33.	,	06		31.44	331	III
34.	,	06		31.60	326	III
35.	,	05		31.89	317	III
36.	,	06	3 .	32.08	311	III
37.	,	06	" "	32.20	308	III
38.	,	06	. " "	32.34	304	III
39.	,	06		32.42	301	III
40.	,	06	2	32.45	301	III
41.	,	06	3 .	32.59	297	III
42.	,	05		32.68	294	III
43.	,	06		32.75	292	III
44.	,	06	. " "	32.86	289	III
45.	,	06	. " "	32.99	286	III
46.	,	06		33.51	273	1
47.	,	06	" "	34.13	258	1
48.	,	06	3 .	34.32	254	1
49.	,	06	2	34.37	253	1
50.	,	06	2	34.42	252	1
51.	,	06	. " "	35.21	235	1
52.	,	06	3 .	35.33	233	1
53.	,	05	" "	36.91	204	1
54.	,	06	2	42.47	134	2
55.	,	06		43.04	129	2
DSQ	,	06	. " "	37.00		1

2007 - 2008

1.	,	07	" "	28.07	465	II
2.	,	07	. " "	28.73	433	II
3.	,	07	. " "	29.38	405	II
4.	,	07	3 .	29.65	394	II
5.	,	07		29.75	390	II
6.	,	07	3 .	31.07	343	III
7.	,	08	3 .	31.09	342	III
8.	,	07	3 .	31.27	336	III
9.	,	07		31.68	323	III
10.	,	07	. " "	31.85	318	III
11.	,	07	. " "	31.90	316	III
12.	,	07	" "	32.11	310	III
13.	,	07	" "	32.48	300	III
14.	,	07	3 .	32.66	295	III
15.	,	07	" "	32.69	294	III
16.	,	07	3 .	32.82	291	III
17.	,	08		33.00	286	III
18.	,	07		33.14	282	III
19.	,	07		33.57	271	1
20.	,	07	" "	33.87	264	1
21.	,	07	2/	34.09	259	1
22.	,	07		34.17	257	1
23.	,	08	2	34.27	255	1
24.	,	07	3 .	34.39	252	1
	,	07	3 .	34.39	252	1
26.	,	07	3 .	34.40	252	1
27.	,	08	. " "	34.66	247	1
28.	,	07	3 .	34.71	246	1
29.	,	07	3 .	34.77	244	1

, 19.3. - 28.5.2021

4,	, 50m	,	2007 - 2008			
30.	,	07	3 .	35.01	239	1
31.	,	07	3 .	35.05	238	1
32.	,	07		35.19	236	1
33.	,	08	" "	35.24	235	1
	,	08	3 .	35.24	235	1
35.	,	08	3 .	35.55	229	1
36.	,	08	" "	35.78	224	1
37.	,	08		35.89	222	1
38.	,	08	3 .	35.93	221	1
39.	,	07	2	36.14	217	1
40.	,	08		36.43	212	1
	,	07		36.43	212	1
42.	,	07	2	36.45	212	1
43.	,	08	3 .	36.60	209	1
44.	,	08	2	36.68	208	1
45.	,	08	3 .	36.72	207	1
46.	,	07	3 .	36.76	207	1
47.	,	08	2	37.07	201	1
48.	,	07		37.26	198	1
49.	,	08		37.37	197	1
50.	,	07	2	37.48	195	1
	,	07		37.48	195	1
52.	,	08		37.77	190	1
53.	,	08		37.85	189	1
54.	,	08	" "	37.97	187	1
55.	,	08		38.03	187	1
56.	,	08	" "	38.44	181	2
57.	,	08	3 .	38.62	178	2
58.	,	08		38.66	178	2
59.	,	08	2	38.98	173	2
60.	,	07	2	39.15	171	2
61.	,	07	2	39.18	171	2
62.	,	08		39.21	170	2
63.	,	08	2/	39.25	170	2
64.	,	08	2/	39.28	169	2
65.	,	07	3 .	39.51	166	2
66.	,	08	2	39.53	166	2
67.	,	08		39.58	165	2
68.	,	07		39.95	161	2
69.	,	08		40.37	156	2
70.	,	07	2	40.77	151	2
71.	,	08	2/	40.78	151	2
72.	,	08		40.85	150	2
73.	,	08		41.04	148	2
74.	,	08		41.25	146	2
75.	,	08		41.50	143	2
76.	,	08		41.85	140	2
77.	,	08	2	42.19	137	2
78.	,	08		42.55	133	2
79.	,	08		42.68	132	2
80.	,	08	" "	43.32	126	2
81.	,	08		44.58	116	2
82.	,	08	" "	44.60	115	2
83.	,	08	2	44.65	115	2
84.	,	08	" "	47.75	94	2
85.	,	07		48.07	92	2

, 19.3. - 28.5.2021

4, , 50m , 2007 - 2008

86.	,	08		59.21	49	
	2009 - 2010					
1.	,	09	" "	32.77	292	III
2.	,	09	2/	33.05	285	III
3.	,	09		34.81	243	1
4.	,	09	2/	35.23	235	1
5.	,	10	3 .	35.51	229	1
6.	,	09		35.58	228	1
7.	,	09		36.05	219	1
8.	,	10		36.44	212	1
9.	,	09		36.57	210	1
10.	,	09		37.46	195	1
11.	,	09	2/	38.02	187	1
12.	,	09		38.33	182	2
13.	,	10	3 .	38.63	178	2
14.	,	09	. " "	39.30	169	2
15.	,	10	. " "	39.66	164	2
16.	,	10		39.81	163	2
17.	,	09	. " "	40.03	160	2
18.	,	09		40.04	160	2
19.	,	09	3 .	40.23	158	2
20.	,	09		40.34	156	2
21.	,	09		40.86	150	2
22.	,	09	. " "	41.43	144	2
23.	,	10	" "	41.72	141	2
24.	,	09		41.95	139	2
25.	,	09	. " "	42.06	138	2
	,	09	3 .	42.06	138	2
27.	,	09	. " "	42.99	129	2
	,	09		42.99	129	2
29.	,	10		43.05	128	2
30.	,	10		44.46	117	2
31.	,	10	. " "	44.55	116	2
32.	,	10	3 .	45.75	107	2
33.	,	09	3 .	45.92	106	2
34.	,	09	. " "	46.10	105	2
35.	,	10		46.67	101	2
36.	,	10	" "	47.66	95	2
	,	10		47.66	95	2
38.	,	09	3 .	48.02	92	2
39.	,	10		48.18	91	2
40.	,	10	3 .	48.37	90	3
41.	,	08		48.45	90	3
	,	09	3 .	48.45	90	3
43.	,	09	. " "	48.50	90	3
44.	,	09	. " "	48.85	88	3
45.	,	10		48.93	87	3
46.	,	10		49.82	83	3
47.	,	10	" "	49.98	82	3
48.	,	10		50.26	81	3
49.	,	10		50.48	79	3
50.	,	10		50.62	79	3
51.	,	09	3 .	51.17	76	3
52.	,	10		51.22	76	3

, 19.3. - 28.5.2021

4, , 50m ,		2009 - 2010			
53.	,	10	3 .	51.80	74 3
54.	,	10	" "	52.28	72 3
55.	,	10	" "	52.97	69 3
56.	,	09		54.10	64 3
57.	,	10	" "	54.42	63 3
58.	,	09		55.03	61 3
59.	,	10		55.82	59 3
60.	,	10	" "	56.08	58 3
61.	,	10	" "	56.11	58 3
62.	,	10		56.16	58 3
63.	,	09	3 .	56.45	57 3
64.	,	09	3 .	56.76	56 3
65.	,	10		57.31	54 3
66.	,	10		59.75	48
DSQ	,	09	3 .	45.14	2
DSQ	,	10		45.64	2
DSQ	,	09	2/	48.58	3
DSQ	,	09		49.95	3
DSQ	,	10		52.34	3
DSQ	,	09	3 .	52.56	3
DSQ	,	09	" "	52.90	3
DSQ	,	10	2	1:00.11	
2011					
1.	,	11	2	41.64	142 2
2.	,	11	" "	43.35	126 2
3.	,	11	" "	44.13	119 2
4.	,	11	" "	44.18	119 2
5.	,	11	" "	44.44	117 2
6.	,	11	" "	44.52	116 2
7.	,	11	" "	46.71	100 2
8.	,	12	" "	46.80	100 2
9.	,	11		46.95	99 2
10.	,	11	" "	47.32	97 2
11.	,	11	" "	47.73	94 2
12.	,	11	" "	48.30	91 3
13.	,	11	2	48.56	89 3
14.	,	11	2	49.26	86 3
15.	,	11		49.83	83 3
16.	,	11		52.40	71 3
17.	,	12	2	54.76	62 3
18.	,	11		55.02	61 3
19.	,	11		55.14	61 3
20.	,	11	" "	58.09	52 3
21.	,	11		58.23	52 3
22.	,	11	" "	58.72	50
23.	,	11	2	59.85	47
DSQ	,	11	" "	52.59	3

20.03.2021 5 , 50m 2005

	12 +: 32.65 /	10 +: 34.45 /	I	9 +: 36.15 /	II	9 +: 40.25 /
III	9 +: 44.25 /	I .	9 +: 51.75 /	II .	9 +: 1:01.75 /	
III	9 +: 1:11.75					

: FINA 2020

2005 - 2006

1.		05			36.17	492	II
2.		05	.	"	37.05	458	II
3.	,	06		2	37.49	442	II
4.		05		3 .	37.56	439	II
5.		05	.	"	38.05	422	II
6.	,	05		3 .	38.07	422	II
7.		06		2	38.33	413	II
8.		06	.	"	38.79	399	II
9.	,	05		3 .	39.01	392	II
10.	,	05		2	39.64	374	II
11.	,	05		3 .	40.05	362	II
12.	,	05	.	"	40.30	355	III
13.		06		2	40.37	354	III
14.		06			40.75	344	III
15.	,	06		"	40.80	342	III
16.		06		3 .	41.09	335	III
17.		06		2	42.19	310	III
18.		05		3 .	42.32	307	III
19.		06		"	42.65	300	III
20.		06			42.96	293	III
21.		06			43.34	286	III
22.		05		2	43.92	274	III
23.		05	.	"	44.14	270	III
24.		05		3 .	44.92	257	1

2007 - 2008

1.		07		"	34.84	550	I
2.		08			36.31	486	II
3.		07		"	36.38	483	II
4.		08	.	"	37.50	441	II
5.		07		2	37.87	428	II
6.	,	07		"	37.97	425	II
7.		07		"	38.33	413	II
8.		08	.	"	38.99	393	II
9.		08		3 .	39.54	376	II
10.		07		3 .	39.90	366	II
11.		08	.	"	39.94	365	II
12.		08	.	"	39.98	364	II
13.		07	.	"	39.99	364	II
14.		07	.	"	40.12	360	II
15.		08	.	"	40.83	342	III
16.		08		3 .	40.98	338	III
17.		07		"	41.00	338	III
18.		08		3 .	41.04	337	III
19.		07	.	"	41.74	320	III
20.		07			41.99	314	III
21.		08			42.42	305	III
22.		08		3 .	42.54	302	III
23.		08	.	"	42.60	301	III

, 19.3. - 28.5.2021

5, , 50m , 2007 - 2008

24.	,	08	2	43.13	290	III
25.	,	07	2	43.20	288	III
26.	,	07	" "	43.36	285	III
27.	,	08		43.39	285	III
28.	,	08	3 .	43.62	280	III
29.	,	08		44.22	269	III
30.	,	07	3 .	44.81	258	1
31.	,	07	3 .	45.26	251	1
32.	,	08	2	45.38	249	1
33.	,	08	2	45.73	243	1
34.	,	08		46.23	235	1
35.	,	07	3 .	46.43	232	1
36.	,	07		48.84	199	1

2009 - 2010

1.	,	09	. " "	39.75	370	II
2.	,	10	. " "	40.00	363	II
3.	,	10	. " "	40.97	338	III
4.	,	09	. " "	41.29	330	III
5.	,	09	3 .	41.57	324	III
6.	,	09	. " "	42.27	308	III
7.	,	09	. " "	43.14	290	III
8.	,	10	. " "	43.83	276	III
9.	,	10		45.24	251	1
10.	,	09	3 .	45.30	250	1
11.	,	09		45.57	246	1
12.	,	10	. " "	45.68	244	1
13.	,	09		46.23	235	1
14.	,	10	3 .	47.56	216	1
15.	,	09	" "	48.04	210	1
16.	,	10		48.24	207	1
17.	,	10		48.25	207	1
18.	,	10	3 .	48.31	206	1
19.	,	09	3 .	49.33	194	1
20.	,	09		49.59	191	1
21.	,	09	. " "	50.43	181	1
22.	,	10		50.80	177	1
23.	,	09	3 .	51.28	172	1
24.	,	10	2	51.88	166	2
25.	,	10	3 .	52.48	161	2
26.	,	09	" "	54.17	146	2
27.	,	10		54.43	144	2
28.	,	10		57.35	123	2
29.	,	09		1:01.84	98	3
30.	,	10		1:03.25	92	3
31.	,	10		1:03.77	89	3
32.	,	10		1:28.73	33	
DSQ	,	10		1:04.81		3

, 19.3. - 28.5.2021

5, , 50m

2011

1.		11	"	"	44.40	266	1
2.		11	.	"	47.76	213	1
3.		12	"	"	48.19	208	1
4.		11	.	"	49.35	193	1
5.		11	"	"	49.83	188	1
6.		11	"	"	50.27	183	1
7.		11	"	"	50.50	180	1
8.		11	.	"	50.53	180	1
9.		11	2		52.02	165	2
10.		11	"	"	52.20	163	2
11.		11	.	"	53.56	151	2
12.		11	"	"	53.59	151	2
		11	.	"	53.59	151	2
14.		11	2		55.44	136	2
15.		11			56.70	127	2
16.		11	"	"	56.83	126	2
17.		12	"	"	1:00.78	103	2
18.		11			1:05.65	82	3
DSQ		11	.	"	58.84		2
DSQ		11			1:07.52		3
DSQ		11			1:12.70		

6

, 50m

2005

20.03.2021

12 +: 28.45 /	10 +: 30.00 /	I	9 +: 31.85 /	II	9 +: 35.25 /
III 9 +: 38.75 /	I . 9 +: 45.25 /		II .	9 +: 55.25 /	
III . 9 +: 1:05.25					

: FINA 2020

2005 - 2006

1.		05			31.32	523	I
2.		05	.	"	31.86	497	II
3.		05	.	"	32.27	479	II
4.		05	"	"	32.39	473	II
5.		05			32.51	468	II
6.		06	.	"	32.82	455	II
7.		05		3 .	33.66	422	II
8.		06		3 .	33.88	413	II
9.		06		3 .	33.89	413	II
10.		06	"	"	34.18	403	II
11.		06			34.47	393	II
12.		06	"	"	34.77	382	II
13.		06	"	"	34.78	382	II
14.		06	.	"	34.85	380	II
15.		05			34.90	378	II
16.		06	2		35.18	369	II
17.		06	"	"	35.19	369	II
18.		05		3 .	35.35	364	III
19.		05			35.70	353	III
20.		05		3 .	35.85	349	III
21.		06	2		36.04	343	III
22.		06		3 .	36.31	336	III
23.		06	"	"	36.32	336	III
24.		06	.	"	36.41	333	III

, 19.3. - 28.5.2021

6, , 50m , 2005 - 2006

25.	,	06	.	"	"	"	36.55	329	III
26.	,	06		"	"	"	36.79	323	III
27.	,	06					36.89	320	III
28.	,	05					36.90	320	III
29.	,	05			3	.	36.98	318	III
30.	,	06			3	.	37.05	316	III
31.	,	05	2				37.06	316	III
32.	,	05			3	.	37.19	312	III
33.	,	06					37.47	306	III
34.	,	05					37.54	304	III
35.	,	06					37.57	303	III
36.	,	06			3	.	37.71	300	III
37.	,	06			3	.	37.87	296	III
38.	,	06					37.94	294	III
39.	,	06	2				38.16	289	III
40.	,	06					38.36	285	III
41.	,	06			3	.	38.83	274	1
42.	,	06	2				38.93	272	1
	,	06			3	.	38.93	272	1
44.	,	05			3	.	39.00	271	1
45.	,	06					39.37	263	1
	,	06		"	"	"	39.37	263	1
47.	,	06	.		"	"	39.50	261	1
48.	,	06	2				39.61	259	1
49.	,	06	.		"	"	39.70	257	1
50.	,	05					39.91	253	1
51.	,	06	.		"	"	40.12	249	1
52.	,	06					40.53	241	1
53.	,	06	2				41.65	222	1
54.	,	06	2				42.74	206	1

2007 - 2008

1.	,	07		"	"	"	33.16	441	II
2.	,	07	.		"	"	34.04	408	II
3.	,	07			3	.	34.11	405	II
4.	,	07					34.95	377	II
5.	,	08			3	.	35.58	357	III
	,	07					35.58	357	III
7.	,	07			3	.	35.95	346	III
8.	,	07		"	"	"	36.05	343	III
9.	,	07		"	"	"	36.08	342	III
10.	,	07		"	"	"	36.37	334	III
11.	,	07	.		"	"	36.79	323	III
12.	,	07			3	.	37.54	304	III
13.	,	07			3	.	37.85	296	III
14.	,	08			3	.	37.87	296	III
15.	,	08					38.36	285	III
16.	,	07	2				38.49	282	III
17.	,	07			3	.	38.57	280	III
18.	,	07			3	.	38.61	279	III
19.	,	08			3	.	38.66	278	III
20.	,	07	.		"	"	38.73	277	III
21.	,	07			3	.	38.85	274	1
22.	,	08	2/				39.03	270	1
23.	,	08					39.35	264	1

, 19.3. - 28.5.2021

6, , 50m , 2007 - 2008

24.	,	07	3 .	39.37	263	1
25.	,	07	3 .	39.68	257	1
26.	,	07	" "	39.79	255	1
27.	,	07		40.01	251	1
28.	,	07	2	40.21	247	1
29.	,	08	" "	40.39	244	1
30.	,	07	3 .	40.42	243	1
31.	,	07	3 .	40.51	242	1
32.	,	07	2/	40.55	241	1
33.	,	07	" "	40.56	241	1
34.	,	08	" "	40.93	234	1
35.	,	07	2	41.05	232	1
36.	,	07		41.10	231	1
37.	,	07		41.24	229	1
38.	,	07	3 .	41.32	228	1
39.	,	08		41.35	227	1
40.	,	08	2	41.55	224	1
41.	,	08	3 .	41.75	221	1
42.	,	08	3 .	41.84	219	1
43.	,	07	3 .	41.91	218	1
44.	,	07	2	41.98	217	1
	,	08	" "	41.98	217	1
46.	,	08		42.14	215	1
47.	,	08	2	42.26	213	1
48.	,	07		42.30	212	1
49.	,	07		42.82	205	1
50.	,	08	2/	43.18	199	1
51.	,	07	3 .	43.36	197	1
52.	,	08		43.69	193	1
53.	,	08	2	43.76	192	1
54.	,	08	2	43.83	191	1
55.	,	08	2	43.91	190	1
56.	,	08		43.98	189	1
57.	,	08		44.30	185	1
58.	,	08		44.37	184	1
59.	,	07	2	44.79	179	1
60.	,	08	" "	44.85	178	1
	,	08		44.85	178	1
62.	,	08		45.50	170	2
63.	,	08	2	45.52	170	2
64.	,	08	" "	45.61	169	2
65.	,	08	3 .	45.87	166	2
66.	,	07		46.29	162	2
67.	,	08		46.85	156	2
68.	,	08		46.91	155	2
69.	,	08	3 .	46.96	155	2
70.	,	08	" "	47.16	153	2
71.	,	08	2	47.36	151	2
72.	,	08		47.72	148	2
73.	,	08		47.80	147	2
74.	,	08		48.13	144	2
75.	,	08		48.37	142	2
76.	,	08	" "	48.60	140	2
77.	,	08		49.05	136	2
78.	,	07		49.49	132	2
79.	,	08		50.55	124	2

, 19.3. - 28.5.2021

6, , 50m ,		2007 - 2008				
80.	,	08		50.64	123	2
81.	,	08	2/	51.07	120	2
82.	,	07		51.85	115	2
DSQ	,	07	2	41.27		1
DSQ	,	07		45.92		2
DSQ	,	08	. " "	48.98		2
2009 - 2010						
1.	,	09	" "	38.44	283	III
2.	,	09		39.01	271	1
3.	,	09	2/	42.09	215	1
4.	,	10		43.00	202	1
5.	,	09		43.11	200	1
6.	,	09		44.10	187	1
7.	,	09	2/	44.67	180	1
8.	,	09	3 .	44.81	178	1
9.	,	09	. " "	45.12	175	1
10.	,	09	. " "	45.47	171	2
11.	,	09		45.71	168	2
12.	,	09	3 .	45.92	166	2
13.	,	09	3 .	45.99	165	2
14.	,	09		46.22	163	2
15.	,	10	. " "	46.35	161	2
16.	,	09	3 .	46.61	158	2
17.	,	09	2/	46.68	158	2
18.	,	09		46.87	156	2
19.	,	10	" "	47.04	154	2
20.	,	10		47.11	153	2
21.	,	09	. " "	47.94	146	2
22.	,	10		48.04	145	2
23.	,	10		48.13	144	2
24.	,	10	3 .	48.19	143	2
25.	,	09	. " "	49.05	136	2
26.	,	09	. " "	49.58	132	2
27.	,	10		49.73	130	2
28.	,	10	. " "	49.77	130	2
29.	,	10		49.87	129	2
30.	,	10	. " "	50.37	125	2
31.	,	09	3 .	50.48	125	2
32.	,	10		50.76	123	2
33.	,	09	3 .	51.33	119	2
34.	,	10		51.43	118	2
35.	,	08		51.48	117	2
36.	,	09		51.55	117	2
37.	,	10	3 .	51.70	116	2
38.	,	10		51.90	115	2
39.	,	10	3 .	51.94	114	2
40.	,	10		52.05	114	2
41.	,	09		52.09	113	2
42.	,	09		52.13	113	2
43.	,	10	3 .	53.08	107	2
44.	,	09	. " "	53.23	106	2
45.	,	09	2	53.31	106	2
46.	,	10		53.47	105	2
47.	,	10	. " "	53.98	102	2

, 19.3. - 28.5.2021

6, , 50m ,		2009 - 2010				
48.	,	09	.	"	"	54.08 101 2
49.	,	09	.	3	.	54.09 101 2
50.	,	09	.	"	"	54.17 101 2
51.	,	10	.	"	"	54.57 99 2
52.	,	10	.	3	.	55.31 95 3
53.	,	09	.	3	.	55.52 94 3
54.	,	10	.	"	"	55.72 93 3
55.	,	10	.	"	"	56.20 90 3
56.	,	10	.	"	"	56.25 90 3
57.	,	10	.	2		56.35 89 3
58.	,	10	.	"	"	56.89 87 3
59.	,	10	.			57.35 85 3
60.	,	10	.			57.95 82 3
61.	,	10	.	"	"	1:00.73 71 3
62.	,	10	.			1:02.26 66 3
63.	,	10	.			1:03.50 62 3
64.	,	09	.	"	"	1:03.60 62 3
DSQ	,	09	.			
DSQ	,	09	.	2/		45.70 2
DSQ	,	10	.			46.93 2
DSQ	,	09	.			47.98 2
DSQ	,	09	.	3	.	53.28 2
DSQ	,	10	.			54.78 2
DSQ	,	09	.	3	.	55.57 3
DSQ	,	10	.			57.50 3
DSQ	,	09	.			59.50 3
DSQ	,	09	.			1:02.68 3
DSQ	,	09	.	3	.	1:02.96 3
DSQ	,	09	.			1:07.75
DSQ	,	10	.			1:07.85
2011						
1.	,	12	.	"	"	45.48 171 2
2.	,	11	.	"	"	48.52 140 2
3.	,	11	.	"	"	50.39 125 2
4.	,	11	.	"	"	50.80 122 2
5.	,	11	.	"	"	50.84 122 2
6.	,	11	.			50.93 121 2
7.	,	11	.	"	"	51.19 120 2
8.	,	11	.	"	"	51.40 118 2
9.	,	11	.	"	"	51.55 117 2
10.	,	11	.	"	"	51.56 117 2
11.	,	11	.	2		51.69 116 2
12.	,	11	.			51.73 116 2
13.	,	11	.	"	"	52.10 113 2
14.	,	11	.	2		54.11 101 2
15.	,	12	.			54.12 101 2
16.	,	11	.	2		55.98 91 3
17.	,	11	.			56.46 89 3
18.	,	11	.	"	"	56.85 87 3
19.	,	11	.			57.20 86 3
20.	,	12	.	2		58.86 78 3
21.	,	11	.	2		59.00 78 3
22.	,	11	.	2		59.51 76 3
23.	,	12	.			1:03.79 62 3

, 19.3. - 28.5.2021

6,	, 50m	, 2011						
24.	,	12				1:03.98	61	3
25.	,	11				1:05.50	57	
26.	,	12				1:06.57	54	
27.	,	13				1:06.97	53	
28.	,	12				1:07.50	52	
29.	,	13				1:12.71	41	
DSQ	,	11	"	"		49.92		2
DSQ	,	11	2			50.92		2
DSQ	,	11				55.85		3
DSQ	,	11				57.98		3

7	, 50m	2005						
20.03.2021								
12 +: 25.95 /	10 +: 26.75 /	I	9 +: 28.05 /	II	9 +: 30.75 /			
III 9 +: 32.75 /	I 9 +: 39.75 /		II	9 +: 49.75 /				
III 9 +: 59.25								

: FINA 2020

2005 - 2006

1.	,	05	.	"	"	27.35	589	I
2.	,	05		3	.	27.64	570	I
3.	,	05		3	.	27.94	552	I
4.	,	05	.	"	"	28.27	533	II
5.	,	05	.	"	"	28.69	510	II
6.	,	06	"	"		29.60	464	II
7.	,	06				29.72	459	II
8.	,	05		3	.	30.18	438	II
9.	,	05		3	.	30.19	438	II
10.	,	06	"	"		30.30	433	II
11.	,	05	.	"	"	30.44	427	II
12.	,	05				30.46	426	II
13.	,	06	2			30.57	422	II
14.	,	06	2			30.62	419	II
15.	,	06	2			30.88	409	III
16.	,	05		3	.	30.96	406	III
17.	,	06				31.56	383	III
18.	,	06	.	"	"	31.84	373	III
19.	,	06		3	.	31.95	369	III
	,	05		3	.	31.95	369	III
21.	,	05	2			32.34	356	III
22.	,	06				32.67	345	III
23.	,	05	2			33.74	313	1
24.	,	06	2			34.44	295	1

2007 - 2008

1.	,	07	"	"		27.18	600	I
2.	,	07	2			29.39	474	II
3.	,	07	"	"		29.41	473	II
4.	,	07				29.99	446	II
5.	,	07	.	"	"	30.17	439	II
6.	,	07	"	"		30.52	424	II
7.	,	07	.	"	"	30.61	420	II
8.	,	07	"	"		30.65	418	II

, 19.3. - 28.5.2021

7,	, 50m	,	2007 - 2008			
9.	,	08	.	"	"	30.78 413 III
10.	,	08	.	3	.	30.82 411 III
11.	,	08	.	"	"	30.94 407 III
12.	,	08	.	"	"	31.06 402 III
13.	,	07	"	"	"	31.12 400 III
14.	,	07	.	3	.	31.20 396 III
15.	,	07	.	3	.	31.24 395 III
16.	,	08	.	"	"	31.25 395 III
17.	,	07	.	3	.	31.48 386 III
18.	,	08	.			31.76 376 III
19.	,	08	.	3	.	31.80 374 III
20.	,	08	.			31.92 370 III
21.	,	07	.	3	.	31.93 370 III
22.	,	08	.	"	"	32.12 363 III
23.	,	08	.	3	.	32.20 361 III
24.	,	07	.	"	"	32.27 358 III
25.	,	08	2			32.63 347 III
26.	,	08	.			32.64 346 III
27.	,	07	.	"	"	32.66 346 III
28.	,	08	.	"	"	32.81 341 1
29.	,	08	.	3	.	32.92 337 1
30.	,	08	.	3	.	33.02 334 1
31.	,	08	.			33.73 314 1
32.	,	08	2			33.98 307 1
33.	,	07	.			34.26 299 1
34.	,	07	.	3	.	34.37 296 1
35.	,	07	2			34.59 291 1
36.	,	08	.			35.44 270 1
37.	,	08	.			36.35 251 1
38.	,	08	2			36.43 249 1

2009 - 2010

1.	,	09	.	"	"	30.85 410 III
2.	,	09	.	"	"	31.40 389 III
3.	,	10	.	"	"	32.69 345 III
4.	,	09	.	"	"	33.15 330 1
5.	,	09	.			33.95 308 1
6.	,	10	.	"	"	33.97 307 1
7.	,	10	.			34.58 291 1
8.	,	09	.	"	"	35.36 272 1
9.	,	09	.	3	.	35.68 265 1
10.	,	10	.	"	"	36.03 257 1
11.	,	09	.			36.09 256 1
12.	,	09	"	"	"	36.37 250 1
13.	,	10	.	"	"	36.43 249 1
14.	,	09	.	3	.	36.76 242 1
15.	,	10	.			37.41 230 1
16.	,	10	.			37.79 223 1
	,	09	.	3	.	37.79 223 1
18.	,	10	.	3	.	38.10 217 1
19.	,	10	.	3	.	38.27 215 1
20.	,	09	.			38.35 213 1
21.	,	10	.			38.39 213 1
22.	,	10	.	3	.	39.44 196 1
23.	,	09	.			39.60 194 1

, 19.3. - 28.5.2021

7, , 50m		2009 - 2010				
24.	,	09	" "	39.65	193	1
25.	,	10		41.32	170	2
26.	,	10		41.57	167	2
27.	,	10		43.49	146	2
28.	,	10	2	43.95	142	2
29.	,	10		44.02	141	2
30.	,	10		44.16	139	2
31.	,	09		44.18	139	2
32.	,	10		47.32	113	2
33.	,	10		50.46	93	3
34.	,	09		54.00	76	3
DSQ	,	09	3 .	34.76		1
DSQ	,	09	" "	39.00		1
2011						
1.	,	11	" "	35.86	261	1
2.	,	12	" "	36.07	256	1
3.	,	11	" "	36.45	248	1
	,	11	" "	36.45	248	1
5.	,	11	2	39.30	198	1
6.	,	11	" "	40.01	188	2
7.	,	11	" "	40.82	177	2
8.	,	11	" "	41.28	171	2
9.	,	11	" "	41.67	166	2
10.	,	11	" "	41.77	165	2
11.	,	11	" "	42.66	155	2
12.	,	12	" "	43.07	150	2
13.	,	11	" "	43.93	142	2
14.	,	11	" "	44.12	140	2
15.	,	11	" "	44.60	135	2
16.	,	11	" "	44.77	134	2
17.	,	11		45.36	129	2
18.	,	11		45.53	127	2
19.	,	11		45.63	126	2
20.	,	11		45.80	125	2
21.	,	11		46.61	119	2
22.	,	11		47.84	110	2
23.	,	11	2	51.78	86	3
24.	,	11		1:02.40	49	
25.	,	11		1:05.19	43	

, 19.3. - 28.5.2021

8 , 50m 2005

20.03.2021

12 +: 22.65 /	10 +: 23.40 /	I	9 +: 24.65 /	II	9 +: 27.05 /
III 9 +: 29.25 /	I . 9 +: 35.25 /		II .	9 +: 45.25 /	
III . 9 +: 55.25					

: FINA 2020

2005 - 2006

1.	,	05	"	"	23.88	608	I
2.	,	05		3 .	24.39	571	I
3.	,	05			24.53	561	I
4.	,	06	"	"	25.01	530	II
5.	,	05	.	"	25.04	528	II
6.	,	05			25.19	518	II
7.	,	05			25.34	509	II
8.	,	06	"	"	25.54	497	II
9.	,	06		3 .	25.55	497	II
10.	,	05		3 .	25.81	482	II
11.	,	06	"	"	25.83	481	II
12.	,	06		3 .	25.86	479	II
13.	,	06	"	"	26.15	463	II
14.	,	05		3 .	26.26	457	II
15.	,	05			26.48	446	II
	,	06	"	"	26.48	446	II
17.	,	05		3 .	26.82	429	II
18.	,	05			26.83	429	II
19.	,	05	.	"	26.90	425	II
20.	,	06		2	26.91	425	II
21.	,	06			26.93	424	II
22.	,	06		2	26.98	422	II
23.	,	05		3 .	26.99	421	II
24.	,	06			27.00	421	II
	,	05		3 .	27.00	421	II
26.	,	06		3 .	27.01	420	II
27.	,	06	.	"	27.33	406	III
28.	,	06	.	"	27.48	399	III
29.	,	06	.	"	27.61	393	III
30.	,	05		2	27.62	393	III
31.	,	06		3 .	27.69	390	III
32.	,	06	"	"	27.77	387	III
33.	,	06			27.82	385	III
34.	,	06			27.87	383	III
35.	,	06			27.91	381	III
36.	,	06			27.99	378	III
37.	,	06		2	28.29	366	III
38.	,	06		2	28.32	365	III
	,	06			28.32	365	III
40.	,	06		3 .	28.34	364	III
41.	,	06	"	"	28.41	361	III
42.	,	06		3 .	28.46	359	III
43.	,	05			28.74	349	III
44.	,	05			28.87	344	III
45.	,	06	.	"	29.48	323	1
46.	,	06		2	29.56	321	1
47.	,	06	.	"	29.77	314	1
48.	,	06	.	"	29.90	310	1
49.	,	06		3 .	30.18	301	1

, 19.3. - 28.5.2021

8,	, 50m	,	2005 - 2006			
50.	,	06	.	"	"	30.42 294 1
51.	,	06	.	"	"	30.49 292 1
52.	,	06	.			30.96 279 1
53.	,	06	.	3	.	31.04 277 1
54.	,	05	.	"	"	31.10 275 1
55.	,	06	.			31.38 268 1
56.	,	06	.	2		32.82 234 1
57.	,	06	.	2		34.13 208 1
2007 - 2008						
1.	,	07	.	"	"	25.75 485 II
2.	,	07	.	"	"	26.41 450 II
3.	,	07	.			26.77 432 II
4.	,	07	.	3	.	27.43 401 III
5.	,	08	.	3	.	27.45 400 III
6.	,	07	.	"	"	27.55 396 III
7.	,	07	.	3	.	27.94 380 III
8.	,	07	.	"	"	28.11 373 III
9.	,	07	.	"	"	28.23 368 III
10.	,	07	.	3	.	28.30 365 III
	,	07	.	"	"	28.30 365 III
12.	,	07	.	3	.	28.57 355 III
13.	,	07	.	3	.	28.59 354 III
14.	,	07	.			28.80 347 III
15.	,	07	.	"	"	28.98 340 III
16.	,	08	.	3	.	29.01 339 III
17.	,	08	.	3	.	29.07 337 III
18.	,	07	.			29.22 332 III
19.	,	07	.	3	.	29.35 327 1
20.	,	07	.	3	.	29.62 319 1
	,	08	.			29.62 319 1
22.	,	08	.			29.75 314 1
23.	,	08	.	3	.	29.76 314 1
24.	,	08	.	"	"	29.83 312 1
	,	07	.			29.83 312 1
26.	,	07	.	3	.	29.87 311 1
27.	,	07	.	2		29.96 308 1
28.	,	07	.	"	"	29.98 307 1
29.	,	07	.	2/		29.99 307 1
30.	,	07	.	2		30.16 302 1
31.	,	07	.	3	.	30.28 298 1
32.	,	07	.	3	.	30.29 298 1
33.	,	08	.	2		30.41 294 1
34.	,	08	.			30.45 293 1
35.	,	07	.			30.53 291 1
36.	,	07	.	3	.	30.57 290 1
37.	,	07	.	3	.	30.94 279 1
38.	,	08	.	2		30.95 279 1
39.	,	07	.	3	.	31.15 274 1
40.	,	08	.	3	.	31.32 269 1
41.	,	07	.	2		31.39 268 1
	,	07	.	"	"	31.39 268 1
43.	,	07	.	2		31.42 267 1
44.	,	07	.			31.49 265 1
45.	,	08	.	"	"	31.51 265 1

, 19.3. - 28.5.2021

8,	, 50m	,	2007 - 2008			
46.	,	08	2	31.52	264	1
47.	,	08	3 .	31.76	258	1
48.	,	08		31.84	256	1
49.	,	07		32.04	252	1
50.	,	08		32.20	248	1
51.	,	08	2	32.21	248	1
52.	,	07		32.25	247	1
53.	,	07	2	32.39	244	1
54.	,	07	3 .	32.55	240	1
55.	,	08		32.75	236	1
56.	,	08		32.92	232	1
57.	,	08	3 .	33.00	230	1
58.	,	08	. " "	33.01	230	1
59.	,	08	2/	33.02	230	1
60.	,	08		33.15	227	1
61.	,	07	2	33.28	224	1
62.	,	08	. " "	33.34	223	1
63.	,	08		33.55	219	1
64.	,	08		33.65	217	1
65.	,	07		33.86	213	1
66.	,	08	. " "	33.99	211	1
67.	,	08	2	34.11	208	1
68.	,	08	2	34.12	208	1
69.	,	08		34.30	205	1
70.	,	08		34.31	205	1
71.	,	08	2/	34.43	203	1
72.	,	08	. " "	34.67	198	1
73.	,	08		34.75	197	1
74.	,	08	2/	34.86	195	1
75.	,	08		35.19	190	1
76.	,	08		35.27	188	2
77.	,	08		35.60	183	2
78.	,	08	. " "	36.25	174	2
79.	,	08	. " "	36.34	172	2
80.	,	08		36.78	166	2
81.	,	07		37.05	163	2
82.	,	08	2	37.16	161	2
83.	,	08		37.30	159	2
84.	,	08		39.74	132	2
85.	,	08		43.00	104	2
DSQ	,	07		31.78		1
DSQ	,	08		34.19		1

2009 - 2010

1.	,	09	" "	29.43	325	1
2.	,	09		30.24	299	1
3.	,	09		30.67	287	1
4.	,	09		30.99	278	1
5.	,	10		31.57	263	1
6.	,	09	2/	31.66	261	1
7.	,	10	3 .	31.76	258	1
8.	,	09	2/	32.16	249	1
9.	,	09		32.43	243	1
10.	,	09		32.49	241	1
11.	,	09	2/	32.66	238	1

, 19.3. - 28.5.2021

8,	, 50m	,	2009 - 2010			
12.	,	09		32.95	231	1
13.	,	09		33.44	221	1
14.	,	10		33.81	214	1
15.	,	09		33.85	213	1
16.	,	09	3 .	33.95	211	1
17.	,	09	" "	34.24	206	1
18.	,	09	3 .	34.46	202	1
19.	,	10		34.71	198	1
20.	,	09	" "	34.75	197	1
21.	,	09		35.24	189	1
22.	,	09		35.27	188	2
	,	10	3 .	35.27	188	2
24.	,	09		35.43	186	2
25.	,	10	" "	35.46	185	2
26.	,	09	3 .	35.49	185	2
27.	,	10	" "	35.69	182	2
28.	,	09	" "	35.70	182	2
29.	,	10	3 .	36.14	175	2
30.	,	10		36.21	174	2
31.	,	10	" "	36.25	174	2
32.	,	10		36.26	173	2
33.	,	10		36.46	171	2
34.	,	09	" "	36.48	170	2
35.	,	10		36.58	169	2
36.	,	10	3 .	36.67	168	2
37.	,	10		36.70	167	2
38.	,	10		36.93	164	2
39.	,	08		37.13	161	2
40.	,	09	3 .	37.42	158	2
41.	,	09	2	37.61	155	2
42.	,	09	" "	37.76	154	2
43.	,	09	3 .	37.77	153	2
44.	,	10		38.11	149	2
45.	,	09		38.14	149	2
46.	,	09	" "	38.16	149	2
47.	,	10		38.30	147	2
48.	,	10		38.94	140	2
49.	,	10		39.10	138	2
50.	,	09		39.21	137	2
51.	,	09		39.32	136	2
52.	,	10	3 .	39.35	136	2
53.	,	09	3 .	39.39	135	2
54.	,	09	3 .	39.60	133	2
55.	,	10	" "	40.24	127	2
56.	,	09		40.25	127	2
57.	,	10		40.29	126	2
58.	,	10	3 .	40.30	126	2
59.	,	09	3 .	40.31	126	2
60.	,	10		40.66	123	2
61.	,	09	" "	40.78	122	2
62.	,	10	" "	40.81	121	2
63.	,	09	2/	41.09	119	2
64.	,	10		41.14	119	2
65.	,	09	3 .	41.28	117	2
66.	,	10		41.54	115	2
67.	,	10	" "	41.71	114	2

, 19.3. - 28.5.2021

8, , 50m		, 2009 - 2010			
68.	,	10	.	" "	41.94 112 2
69.	,	10	.	" "	42.03 111 2
70.	,	10	.	" "	42.07 111 2
71.	,	09	.	" "	42.30 109 2
72.	,	09	.	3 .	42.47 108 2
73.	,	10	.	" "	42.50 108 2
74.	,	10	.	" "	42.51 107 2
75.	,	10	.	3 .	42.73 106 2
76.	,	10	.	" "	42.84 105 2
77.	,	10	.	" "	44.33 95 2
78.	,	10	.	" "	44.34 95 2
79.	,	09	.	" "	45.24 89 2
80.	,	10	.	" "	45.30 89 3
81.	,	10	.	" "	45.45 88 3
82.	,	10	.	2	45.68 86 3
83.	,	10	.	" "	46.46 82 3
84.	,	10	.	" "	47.34 78 3
85.	,	09	.	3 .	47.94 75 3
86.	,	10	.	" "	50.29 65 3
87.	,	10	.	" "	50.69 63 3
88.	,	10	.	" "	51.39 61 3
89.	,	10	.	" "	51.41 61 3
90.	,	10	.	" "	52.81 56 3
91.	,	10	.	" "	1:11.43 22
DSQ	,	09	.	" "	37.06 2
DSQ	,	09	.	" "	39.62 2
2011					
1.	,	11	.	" "	35.03 192 1
2.	,	11	.	" "	36.41 171 2
3.	,	11	.	" "	37.12 162 2
4.	,	11	.	" "	37.21 160 2
5.	,	11	.	" "	37.36 159 2
6.	,	11	.	2	37.51 157 2
7.	,	11	.	" "	37.93 151 2
8.	,	11	.	" "	38.21 148 2
9.	,	11	.	" "	38.26 148 2
10.	,	11	.	" "	38.62 143 2
11.	,	11	.	" "	38.84 141 2
12.	,	11	.	" "	38.92 140 2
13.	,	12	.	" "	39.77 131 2
14.	,	11	.	2	39.88 130 2
15.	,	11	.	2	40.51 124 2
16.	,	11	.	" "	40.73 122 2
17.	,	11	.	" "	40.91 121 2
18.	,	11	.	" "	41.15 118 2
19.	,	11	.	" "	41.30 117 2
20.	,	11	.	" "	41.50 116 2
21.	,	11	.	" "	41.56 115 2
22.	,	12	.	" "	42.02 111 2
23.	,	11	.	" "	42.59 107 2
24.	,	11	.	" "	42.69 106 2
25.	,	11	.	2	42.99 104 2
26.	,	11	.	2	43.20 102 2
27.	,	11	.	" "	44.23 95 2

, 19.3. - 28.5.2021

	8,	, 50m	, 2011			
28.	,		11	44.97	91	2
29.	,		11	45.45	88	3
30.	,		12	46.09	84	3
31.	,		12	47.59	76	3
32.	,		11	47.97	75	3
33.	,		12	48.53	72	3
34.	,		12	48.67	71	3
35.	,		13	49.93	66	
36.	,		11	50.60	64	3
37.	,		12	50.70	63	3
38.	,		13	50.80	63	
39.	,		11	51.28	61	3
40.	,		11	51.31	61	3
41.	,		11	52.07	58	3
42.	,		11	52.28	58	3
43.	,		11	52.33	57	3
44.	,		11	55.16	49	3
45.	,		12	55.26	49	
46.	,		11	56.14	46	
47.	,		12	1:10.81	23	
48.	,		11	1:11.01	23	
DSQ	,		12	41.74		2